



DATE OF ANALYSIS : 01.03.2026

[illegible]

ASP	Activated Sludge Process
ASP(IFAS)	Activated Sludge Process with Integrated Fixed-film Activated Sludge
E.A	Extended Aeration
FAB	Fluidized Aerobic Bed
B & D	Biofor and dansadeg
C-ISBR	Combitreat-ISBR
W	Waiting
ND	Not Detectable
BDL	Bellow Detection Limit

ASP	Activated Sludge Process
ASP(IFAS)	Activated Sludge Process with Integrated Fixed-film Activated Sludge
E.A	Extended Aeration
FAB	Fluidized Aerobic Bed
B & D	Biofor and dansadeg
C-ISBR	Combitreat-ISBR
W	Waiting
ND	Not Detectable
BDL	Bellow Detection Limit



S.No

La

**(Operator)
Technology**

</

Capacity

(MGD)

DPCC Parameter (mg/l)
(TSS:10,BOD:10, COD:50,
NH4-N:5,PO4-P:2,
Oil& grease : 10,
f.coliform: 230 MPN/100ml)

Parameter Limits

pH

IP

OUT

TSS

ET

OL

(2.5A)

UTL

LET

306)

T

IN

DD

INLE

TLE

Ammo

ET

or

□

OUTI

LET

2

Г	С
---	---

& Grease

INLU

ITL

ET

IN

Cal Coli

NLE

rm

JTL

1

ma

[illegible]

[illegible]

		S.No.	Lab	Sewage Treatment Plant (Operator) Technology	Capacity	DPCC Parameter (mg/l) (TSS:10/BOD:10, COD:50, NH4-N:5, PO4-P:2, Oil& grease : 10, f.coliform: 230 MPN/100ml)	pH		TSS		BOD (3 DAYS at 27 0 C)		COD		Ammonical nitrogen		Dissolve phosphate		Oil & Grease		Fecal Coliform (72 hrs)		Remarks		
							INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET		INLET	OUTLET
							(MGD)	Parameter Limits				-	-	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l		mg/l	mg/l
	1	Keshopur	Keshopur Ph-I (VA-TECH WABAG LTD.) ASP	12	As per plant design TSS:30/BOD:20/COD:50/NH4-N:5/PO4:2/O &G:1.2/f.C:2500 MPN/100ml		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	2		Keshopur Ph-II (Ayaappa Pvt.Ltd) ASP(IFAS)	20	As per DPCC limits		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		Keshopur Ph-III (Ayaappa Pvt.Ltd) ASP	60	As per DPCC limits		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		Kapashera (Triveni Pvt. Ltd) SBR	5	As per plant design TSS:10/BOD:10/COD:50/NH4: 5/O&G:1.2/PO4:1/f.C:1000/100ml		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	Kondli	Kondli Ph-I (Triveni Pvt. Ltd) ASP	10	As per DPCC limits		7.1	7.4	274	8	150	6	470	22	35	1.5	3.5	0.8			-	-			
	6		Kondli Ph-II (Triveni Pvt. Ltd) ASP	25	As per DPCC limits		7.1	7.5	274	7	150	7	470	24	35	2	3.5	0.5			-	-			
	7		Kondli Ph-III (Triveni Pvt. Ltd) ASP	10	As per DPCC limits		7.1	7.5	274	7	150	7	470	24	35	2	3.5	0.5			-	-			
	8		Kondli Ph-IV (Ayaappa Pvt.Ltd) ASP(IFAS)	45	As per DPCC limits		7.2	7.5	280	8	162	5	484	26	35	2	3.5	0.6			-	-			
	9		Chilla (HNB Engineers) C-ISBR	9	As per DPCC limits		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	10		CWG (M/s Toshiba Water Soluti on Pvt. Ltd.) MBR	1	As per DPCC limits		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	11	N.S.T.P.C Pillar	Coronation Pillar Ph-II (DRA Infracom Pvt.Ltd.) ASP(IFAS)	20	As per plant design TSS:30/BOD:20/COD:50/NH4-N:5/PO4:1/O &G:1.2/f.C:230		7	7.6	262	08	122	05	302	15	22	0.6	2.7	0.8			-	-			
	12		Coronation Pillar Ph-III (DRA Infracom Pvt.Ltd.) ASP(IFAS)	10	As per DPCC limits		7	7.5	182	07	103	04	287	16	28	0.9	2.7	1			-	-			
	13		Coronation New (L&T Construction and PASSAVANT (JV)) ASP	70	As per DPCC limits		7	7.5	242	06	110	03	294	17	30	0.9	2.1	1.1			-	-			
	14		Narela (DRA Infracom Pvt.Ltd.) ASP(IFAS)	10	As per DPCC limits		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	15	Nilothi	Nilothi Ph-I (SUBHASH INFRA PVT. LTD) ASP(IFAS)	60	As per DPCC limits		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	16		Nilothi Ph-II (VEOLIA INDIA) ASP	20	As per DPCC limits		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	17	Okhla	Okhla Ph-V (DIB) ASP	16	As per plant design TSS:50/BOD:30/COD:50		7.37	7.66	260	8	175	9.7	(-)	(-)	42	2	1.9	0.7	5	ND	46x10^10	75x10^2			
	18		Okhla Ph-VI (SUEZ India Pvt. Ltd.) ASP	30	As per DPCC limits		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	19		Okhla New (SUEZ India Pvt. Ltd.) ASP	124	As per DPCC limits		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	20		Mehrauli (DIB) E.A	5	As per plant design TSS:50/BOD:30/COD:50		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	21		Molar band (DIB)	0.66	As per plant design TSS:50/BOD:30/COD:50		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	22		Ghitorini (DIB) ASP	5	As per																				

[illegible]

[illegible]

[illegible]

 DELHI JAL BOARD DAILY ANALYSIS REPORT OF ALL SEWAGE TREATMENT PLANT																					
		DATE OF ANALYSIS : 06.03.2026																			
S.No.	Lab	Sewage Treatment Plant (Operator) Technology	Capacity (MGD)	DPCC Parameter (mg/l) TSS:10,BOD:10, COD:50, NH4-N:5,PO4-P:2, Oil& grease : 10, f.coliform: 230 MPN/100ml)	pH		TSS		BOD (3 DAYS at 27 O C)		COD		Ammonical nitrogen		Dissolve phosphate		Oil & Grease		Fecal Coliform (72 hrs)		Remarks
					INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	
					-	-	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	MPN/100ml	MPN/100ml	
1	Keshopur	Keshopur Ph-I (VA TECH WABAG LTD.) ASP	12	As per plant design TSS:30/BOD:20/COD:50/NH4-N:5/PO4:2/ O&G:1.2/f.C:2500 MPN/100ml	7.31	7.62	326	5	160	4	435	24	26	1	5.8	0.8	-	-	24*10^11	150	
2		Keshopur Ph-II (Ayaappa Pvt.Ltd) ASP(IFAS)	20	As per DPCC limits	7.28	7.71	426	10	210	7	570	30	32	7	6.5	1	-	-	24*10^11	160	
3		Keshopur Ph-III (Ayaappa Pvt.Ltd) ASP	60	As per DPCC limits	7.23	7.68	382	8	215	6	590	28	34	8	7	0.9	-	-	24*10^11	210	
4		Kapashera (Triveni Pvt. Ltd) SBR	5	As per plant design TSS:10/BOD:10/COD:50/NH4: 5/O&G:1.2/ PO4:1/f.C:1000/100ml	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	Kondli	Kondli Ph-I (Triveni Pvt. Ltd) ASP	10	As per DPCC limits	7.2	7.5	270	7	153	5	518	20	35	0.8	3.8	0.5			210*10^12	91	
6		Kondli Ph-II (Triveni Pvt. Ltd) ASP	25	As per DPCC limits	7.2	7.4	270	8	153	5	518	22	35	1	3.8	0.5			210*10^12	73	
7		Kondli Ph-III (Triveni Pvt. Ltd) ASP	10	As per DPCC limits	7.2	7.4	270	8	153	5	518	22	35	1	3.8	0.5			210*10^12	73	
8		Kondli Ph-IV (Ayaappa Pvt.Ltd) ASP(IFAS)	45	As per DPCC limits	7.1	7.4	278	8	168	7	524	26	35	0.8	3.5	0.5			290*10^12	91	
9		Chilla (HNB Engineers) C-ISBR	9	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10		CWG (M/s Toshiba Water Soluti on Pvt. Ltd.) MBR	1	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11	N.S.T.C.Pillar	Coronation Pillar Ph-II (DRA Infracom Pvt.Ltd.) ASP(IFAS)	20	As per plant design TSS:30/BOD:20/COD:50/NH4-N:5/PO4:1/ O&G:1.2/f.C:230	7.1	7.5	176	7	74	3	274	15	22	0.6	2.4	0.8			20X10^7	43	
12		Coronation Pillar Ph-III (DRA Infracom Pvt.Ltd.) ASP(IFAS)	10	As per DPCC limits	7	7.4	188	8	83	4	312	14	26	0.5	2.5	0.7			43X10^8	150	
13		Coronation New (L&T Construction and PASSAVANT (JV)) ASP	70	As per DPCC limits	7.1	7.4	262	5	122	3	279	14	30	0.6	2.8	0.9			15X10^9	210	
14		Narela (DRA Infracom Pvt.Ltd.) ASP(IFAS)	10	As per DPCC limits															-	-	
15	Nilothi	Nilothi Ph-I (SUBHASH INFRA PVT. LTD) ASP(IFAS)	60	As per DPCC limits	7.68	7.82	448	4	255	7	-	-	25	6	3	0.1			11x10^9	93	
16		Nilothi Ph-II (VEOLIA INDIA) ASP	20	As per DPCC limits	7.36	7.49	324	5	188	6	-	-	25.5	5	2.9	1.6			46x 10^8	150	
17	Okhla	Okhla Ph-V (DJB) ASP	16	As per plant design TSS:50/BOD:30/COD:50	7.69	7.6	386	9	133	9	-	-	35	2	3	2.5	2	ND	15x10^10	20x10^2	
18		Okhla Ph-VI (SUEZ India Pvt. Ltd.) ASP	30	As per DPCC limits	7.62	8.07	358	8	358	8	-	-	35	0.2	2.3	0.5	4	ND	75x10^10	15	
19		Okhla New (SUEZ India Pvt. Ltd.) ASP	124	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20		Mehrauli (DJB) E.A	5	As per plant design TSS:50/BOD:30/COD:50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
21		Molar band (DJB)	0.66	As per plant design TSS:50/BOD:30/COD:50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
22		Ghitorini (DJB) ASP	5	As per plant design TSS:50/BOD:30/COD:50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
23		Vasant Kunj Ph-I (DJB) E.A	2.2	As per plant design TSS:50/BOD:30/COD:50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24		Vasant Kunj Ph-II (DJB) E.A	3	As per plant design TSS:50/BOD:30/COD:50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25		Delhi Gate Ph-I (Degramont) B & D	2.2	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
26		Delhi Gate Ph-II (Degramont) B & D	15	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
27		SNH drain (Degramont) B & D	2.2	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
28		Phappankalan Ph-I (SUBHASH INFRA PVT. LTD) ASP	20	As per plant design TSS:50/BOD:30/COD:50/NH4-N:5/PO4:1/ O&G:1.2/f.C:230	7.29	7.63	468	4	305	5	560	28	50	3.5	3.8	0.5			24*10^11+	210	

[illegible]

[illegible]

[illegible]



--

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



DELHI JAL BOARD

DAILY ANALYSIS REPORT OF ALL SEWAGE TREATMENT PLANT

DATE OF ANALYSIS : 12.03.2026

S.No.	Lab	Sewage Treatment Plant (Operator) Technology	Capacity (MGD)	DPCC Parameter (mg/l) (TSS:10,BOD:10, COD:50, NH4-N:5,PO4-P:2, Oil& grease : 10, f.coliform: 230 MPN/100ml)	pH		TSS		BOD (3 DAYS at 27 0 C)		COD		Ammonical nitrogen		Dissolve phosphate		Oil & Grease		Fecal Coliform (72 hrs)		Remarks
					INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	
					-	-	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	MPN/100ml	MPN/100ml	
				Parameter Limits	-	-	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	MPN/100ml	MPN/100ml	
1	Keshopur	Keshopur Ph-I (VA-TECH WABAG LTD.) ASP	12	As per plant design TSS:30/BOD:20/COD:50/NH4-N:5/PO4:2/O &G:1.2/f.C:2500 MPN/100ml	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2		Keshopur Ph-II (Ayaappa Pvt.Ltd) ASP(IFAS)	20	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3		Keshopur Ph-III (Ayaappa Pvt.Ltd) ASP	60	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4		Kapashera (Triveni Pvt. Ltd) SBR	5	As per plant design TSS:10/BOD:10/COD:50/NH4: 5/O&G:1.2/PO4:1/f.C:1000/100ml	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	Kondli	Kondli Ph-I (Triveni Pvt. Ltd) ASP	10	As per DPCC limits	7.1	7.5	274	08	155	07	502	18	35	0.5	3.2	0.5			210 X10^11	91	
6		Kondli Ph-II (Triveni Pvt. Ltd) ASP	25	As per DPCC limits	7.1	7.6	274	09	155	08	502	22	35	1.5	3.2	0.6			210 X10^11	73	
7		Kondli Ph-III (Triveni Pvt. Ltd) ASP	10	As per DPCC limits	7.1	7.6	274	09	155	08	502	22	35	1.5	3.2	0.6			210 X10^11	73	
8		Kondli Ph-IV (Ayaappa Pvt.Ltd) ASP(IFAS)	45	As per DPCC limits	7.1	7.5	274	09	155	07	502	25	35	1	3.2	0.8			210 X10^11	91	
9		Chilla (HNB Engineers) C-ISBR	9	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10		CWG (M/s Toshiba Water Soluti on Pvt. Ltd.) MBR	1	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11	N.S.T.P.C Pillar	Coronation Pillar Ph-II (DRA Infracom Pvt.Ltd.) ASP(IFAS)	20	As per plant design TSS:30/BOD:20/COD:50/NH4-N:5/PO4:1/O &G:1.2/f.C:230	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12		Coronation Pillar Ph-III (DRA Infracom Pvt.Ltd.) ASP(IFAS)	10	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13		Coronation New (L&T Construction and PASSAVANT (IV)) ASP	70	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14		Narela (DRA Infracom Pvt.Ltd.) ASP(IFAS)	10	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15	Nilothi	Nilothi Ph-I (SUBHASH INFRA PVT. LTD) ASP(IFAS)	60	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
16		Nilothi Ph-II (VEOLIA INDIA) ASP	20	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
17	Okhla	Okhla Ph-V (DJB) ASP	16	As per plant design TSS:50/BOD:30/COD:50	7.72	7.67	360	24	275	16	550	40	50	7	2.8	2.2	4	Nd	-	-	
18		Okhla Ph-VI (SUEZ India Pvt. Ltd.) ASP	30	As per DPCC limits	7.5	7.87	252	10	203	5	490	20	35	2	2.6	1	3	ND	-	-	
19		Okhla New (SUEZ India Pvt. Ltd.) ASP	124	As per DPCC limits	7.47	7.79	204	10	165	5	445	24	32	0.1	1.6	1.4	5	ND	-	-	
20		Mehrauli (DJB) E.A	5	As per plant design TSS:50/BOD:30/COD:50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
21		Molar band (DJB)	0.66	As per plant design TSS:50/BOD:30/COD:50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
22		Ghitorini (DJB) ASP	5	As per plant design TSS:50/BOD:30/COD:50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
23		Vasant Kunj Ph-I (DJB) E.A	2.2	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24		Vasant Kunj Ph-II (DJB) E.A	3	As per plant design TSS:50/BOD:30/COD:50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25		Delhi Gate Ph-I (Degramont) B & D	2.2	As per DPCC limits	7.42	7.83	148	3	185	5	498	12	28	0.2	2.8	0.8	4	ND	-	-	

[illegible]



[illegible]

[illegible]



[illegible]

[illegible]



[illegible]

[illegible]

DELHI JAL BOARD

DAILY ANALYSIS REPORT OF ALL SEWAGE TREATMENT PLANT

DATE OF ANALYSIS : 18.03.2026

DATE OF ANALYSIS : 16.09.2026																								
	S.No.	Lab	Sewage Treatment Plant (Operator) Technology	Capacity	DPCC Parameter (mg/l) (TSS:10,BOD:10, COD:50, NH4-N:5,PO4-P:2, Oil& grease : 10, f.coliform: 230 MPN/100ml)	pH		TSS		BOD (3 DAYS at 27 0 C)		COD		Ammonical nitrogen		Dissolve phosphate		Oil & Grease		Fecal Coliform (72 hrs)		Remarks		
						INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET		INLET	OUTLET
						(MGD)	Parameter Limits	-	-	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l		mg/l	MPN/100ml
	1	Keshopur	Keshopur Ph-I (VA-TECH WABAG LTD.) ASP	12	As per plant design TSS:30/BOD:20/COD:50/NH4-N:5/PO4:2/O &G:1.2/f.C:2500 MPN/100ml	7.16	7.68	100	16	130	8	340	28	35	2	3	0.4	-	-	-	-			
	2		Keshopur Ph-II (Ayaappa Pvt.Ltd) ASP(IFAS)	20	As per DPCC limits	7.21	7.71	389	10	220	7	580	30	30	1.8	2.8	0.4	-	-	-	-			
	3		Keshopur Ph-III (Ayaappa Pvt.Ltd) ASP	60	As per DPCC limits	7.31	7.69	355	18	210	8	540	28	32	3	2.6	0.7	-	-	-	-			
	4		Kapashera (Triveni Pvt. Ltd) SBR	5	As per plant design TSS:10/BOD:10/COD:50/NH4: 5/O&G:1.2/PO4:1/f.C:1000/100ml	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	5	Kondli	Kondli Ph-I (Triveni Pvt. Ltd) ASP	10	As per DPCC limits	7	7.5	258	6	147	6	492	18	35	0.6	3	0.5			290X10^11	36			
	6		Kondli Ph-II (Triveni Pvt. Ltd) ASP	25	As per DPCC limits	7	7.6	258	7	147	5	492	21	35	2	3	0.6			290X10^11	73			
	7		Kondli Ph-III (Triveni Pvt. Ltd) ASP	10	As per DPCC limits	7	7.6	258	7	147	5	492	21	35	2	3	0.6			290X10^11	73			
	8		Kondli Ph-IV (Ayaappa Pvt.Ltd) ASP(IFAS)	45	As per DPCC limits	7	7.6	258	9	147	7	492	25	35	2	3	0.6			290X10^11	72			
	9		Chilla (HNB Engineers) C-ISBR	9	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	10		CWG (M/s Toshiba Water Soluti on Pvt. Ltd.) MBR	1	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	11	N.S.T.P.C Pillar	Coronation Pillar Ph-II (DRA Infracom Pvt.Ltd.) ASP(IFAS)	20	As per plant design TSS:30/BOD:20/COD:50/NH4-N:5/PO4:1/O &G:1.2/f.C:230	7.1	7.5	196	08	126	04	342	16	22	0.8	2.1	0.7	1.4	BDL	-	-			
	12		Coronation Pillar Ph-III (DRA Infracom Pvt.Ltd.) ASP(IFAS)	10	As per DPCC limits	7.2	7.5	206	05	122	03	260	14	19	0.7	2	0.8	1.5	BDL	-	-			
	13		Coronation New (L&T Construction and PASSAVANT (JV)) ASP	70	As per DPCC limits	7	7.4	476	07	166	04	543	14	33	0.9	2.9	1.4			-	-			
	14		Narela (DRA Infracom Pvt.Ltd.) ASP(IFAS)	10	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	15	Nilothi	Nilothi Ph-I (SUBHASH INFRA PVT. LTD) ASP(IFAS)	60	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	16		Nilothi Ph-II (VEOLIA INDIA) ASP	20	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	17	Okhla	Okhla Ph-V (DJB) ASP	16	As per plant design TSS:50/BOD:30/COD:50	7.32	7.77	286	15	280	9.6	(-)	(-)	30	10	3.2	3	4	ND	-	-			
	18		Okhla Ph-VI (SUEZ India Pvt. Ltd.) ASP	30	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	19		Okhla New (SUEZ India Pvt. Ltd.) ASP	124	As per DPCC limits	7.48	7.36	276	6	158	4.8	(-)	(-)	30	0.2	3.3	3	3	ND	-	-			
	20		Mehrauli (DJB) E.A	5	As per plant design TSS:50/BOD:30/COD:50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	21		Molar band (DJB)	0.66	As per plant design TSS:50/BOD:30/COD:50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	22		Ghitorini (DJB) ASP	5	As per plant design TSS:50/BOD:30/COD:50	-																		

[illegible]



Sewage Treatment Plant (Operator) Technology	Capacity	DPCC Parameter (mg/l) (TSS:10,BOD:10, COD:50, NH4-N:5,PO4-P:2, Oil& grease : 10, f.coliform: 230 MPN/100ml)	pH		TSS		BOD (3 DAYS at 27 0 C)		COD		Ammonical nitrogen		Dissolve phosphate		Oil & Grease		Fecal Coliform (72 hrs)		Remarks
			INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	
	(MGD)	Parameter Limits	-	-	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	MPN/100ml	
Keshopur Ph-I (VA-TECH WABAG LTD.) ASP	12	As per plant design TSS:30/BOD:20/COD:50/NH4-N:5/PO4:2/O &G:1.2/f.C:2500 MPN/100ml	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Keshopur Ph-II (Ayaappa Pvt.Ltd) ASP(IFAS)	20	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Keshopur Ph-III (Ayaappa Pvt.Ltd) ASP	60	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kapashera (Triveni Pvt. Ltd) SBR	5	As per plant design TSS:10/BOD:10/COD:50/NH4: 5/O&G:1.2/PO4:1/f.C:1000/100ml	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kondli Ph-I (Triveni Pvt. Ltd) ASP	10	As per DPCC limits	7.1	7.5	242	7	140	5	448	19	32	0.5	3	0.6			210 X10^10	73	
Kondli Ph-II (Triveni Pvt. Ltd) ASP	25	As per DPCC limits	7.1	7.5	242	8	140	7	448	18	32	1.5	3	0.8			210 X10^10	36	
Kondli Ph-III (Triveni Pvt. Ltd) ASP	10	As per DPCC limits	7.1	7.5	242	8	140	7	448	18	32	1.5	3	0.8			210 X10^10	36	
Kondli Ph-IV (Ayaappa Pvt.Ltd) ASP(IFAS)	45	As per DPCC limits	7.1	7.6	242	8	140	6	448	22	32	1	3	0.5			210 X10^10	36	
Chilla (HNB Engineers) C-ISBR	9	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CWG (M/s Toshiba Water Soluti on Pvt. Ltd.) MBR	1	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Coronation Pillar Ph-II (DRA Infracom Pvt.Ltd.) ASP(IFAS)	20	As per plant design TSS:30/BOD:20/COD:50/NH4-N:5/PO4:1/O &G:1.2/f.C:230	7.1	7.5	138	06	99	03	272	12	17	0.7	1.7	0.7			-	-	
Coronation Pillar Ph-III (DRA Infracom Pvt.Ltd.) ASP(IFAS)	10	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Coronation New (L&T Construction and PASSAVANT (JV)) ASP	70	As per DPCC limits	7.1	7.5	278	05	200	14	412	14	22	0.9	2.1	1	2	BDL	-	-	
Narela (DRA Infracom Pvt.Ltd.) ASP(IFAS)	10	As per DPCC limits	7	7.4	172	10	231	05	592	19	27	0.9	2.2	1	1.3	BDL	-	-	
Nilothi Ph-I (SUBHASH INFRA PVT. LTD) ASP(IFAS)	60	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nilothi Ph-II (VEOLIA INDIA) ASP	20	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Okhla Ph-V (DJB) ASP	16	As per plant design TSS:50/BOD:30/COD:50	7.63	7.78	158	16	240	9	(-)	(-)	27.5	8	2.3	2.8	5	ND	-	-	
Okhla Ph-VI (SUEZ India Pvt. Ltd.) ASP	30	As per DPCC limits	7.65	8.28	268	7	270	4	(-)	(-)	25	0.1	2.7	0.3	4	ND	-	-	
Okhla New (SUEZ India Pvt. Ltd.) ASP	124	As per DPCC limits	7.56	7.42	202	5	260	3	(-)	(-)	20	0.2	2	3	4	ND	-	-	
Mehrauli (DJB) E.A	5	As per plant design TSS:50/BOD:30/COD:50	7.59	8.07	374	91	660	45	>1500	126	62	52	10.4	5	4	2	-	-	
Molar band (DJB)	0.66	As per plant design TSS:50/BOD:30/COD:50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ghitorini (DJB) ASP	5	As per plant design TSS:50/BOD:30/COD:50	7.73	8.1	388	90	690	55	>1500	>150	48	50	4.6	3.6	5	3	-	-	
Vasant Kunj Ph-I (DJB) E.A	2.2	As per DPCC limits	7.6	8.15	294	53	490	36	1168	130	32	40	6	3.6	4	2	-	-	
Vasant Kunj Ph-II																			

[illegible]



DAILY ANALYSIS REPORT OF ALL SEWAGE TREATMENT PLANT

DATE OF ANALYSIS : 20.03.2026

DATE OF ANALYSIS : 20.09.2020																							
Sl. No.	Lab	Sewage Treatment Plant (Operator) Technology	Capacity	DPCC Parameter (mg/l) (TSS:10,BOD:10, COD:50, NH4-N:5,PO4-P:2, Oil& grease : 10, f.coliform: 230 MPN/100ml)	pH		TSS		BOD (3 DAYS at 27 0 C)		COD		Ammonical nitrogen		Dissolve phosphate		Oil & Grease		Fecal Coliform (72 hrs)		Remarks		
					INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET		INLET	OUTLET
					(MGD)	Parameter Limits	-	-	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l		mg/l	MPN/100ml
1	Keshopur	Keshopur Ph-I (VA-TECH WABAG LTD.) ASP	12	As per plant design TSS:30/BOD:20/COD:50/NH4-N:5/PO4:2/O&G:1.2/f.C:2500 MPN/100ml	7.23	7.53	78	8	135	6	365	20	35	1.4	2.8	0.2	-	-	-	-			
2		Keshopur Ph-II (Ayaappa Pvt.Ltd) ASP(IFAS)	20	As per DPCC limits	7.19	7.71	406	8	230	7	560	26	40	3	2.5	0.1	-	-	-	-			
3		Keshopur Ph-III (Ayaappa Pvt.Ltd) ASP	60	As per DPCC limits	7.2	7.76	385	7	210	5	540	24	31	2.8	3	0.2	-	-	-	-			
4		Kapashera (Triveni Pvt. Ltd) SBR	5	As per plant design TSS:10/BOD:10/COD:50/NH4:5/O&G:1.2/PO4:1/f.C:1000/100ml	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
5	Kondli	Kondli Ph-I (Triveni Pvt. Ltd) ASP	10	As per DPCC limits	7	7.4	266	8	145	6	480	15	30	0.5	2.5	0.6	-	-	1100X10^11	36			
6		Kondli Ph-II (Triveni Pvt. Ltd) ASP	25	As per DPCC limits	7	7.5	266	7	145	5	480	16	30	1	2.5	0.8	-	-	1100X10^11	73			
7		Kondli Ph-III (Triveni Pvt. Ltd) ASP	10	As per DPCC limits	7	7.5	266	7	145	5	480	16	30	1	2.5	0.8	-	-	1100X10^11	73			
8		Kondli Ph-IV (Ayaappa Pvt.Ltd) ASP(IFAS)	45	As per DPCC limits	7	7.5	266	9	145	6	480	20	30	1.2	2.5	0.8	-	-	1100X10^11	91			
9		Chilla (HNB Engineers) C-ISBR	9	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
10		CWG (M/s Toshiba Water Soluti on Pvt. Ltd.) MBR	1	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
11	N.S.T.P.C Pillar	Coronation Pillar Ph-II (DRA Infracom Pvt.Ltd.) ASP(IFAS)	20	As per plant design TSS:30/BOD:20/COD:50/NH4-N:5/PO4:1/O&G:1.2/f.C:230	7.2	7.5	160	06	114	03	202	14	14	0.4	1.2	0.6			-	-			
12		Coronation Pillar Ph-III (DRA Infracom Pvt.Ltd.) ASP(IFAS)	10	As per DPCC limits	7.1	7.5	460	07	305	04	62	14	27	0.5	1.4	0.7			-	-			
13		Coronation New (L&T Construction and PASSAVANT (JV)) ASP	70	As per DPCC limits	7	7.5	346	06	75	03	297	17	22	0.7	1.7	1			-	-			
14		Narela (DRA Infracom Pvt.Ltd.) ASP(IFAS)	10	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
15	Nilothi	Nilothi Ph-I (SUBHASH INFRA PVT. LTD) ASP(IFAS)	60	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
16		Nilothi Ph-II (VEOLIA INDIA) ASP	20	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
17	Okhla	Okhla Ph-V (DJB) ASP	16	As per plant design TSS:50/BOD:30/COD:50	7.4	7.62	242	6	115	9	(-)	(-)	20	7	2.2	2.8	4	ND	11X10^11	46X10^3			
18		Okhla Ph-VI (SUEZ India Pvt. Ltd.) ASP	30	As per DPCC limits	7.34	7.56	384	8	308	5	(-)	(-)	30	ND	3.2	1.3	4	ND	24X10^11	460			
19		Okhla New (SUEZ India Pvt. Ltd.) ASP	124	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
20		Mehrauli (DJB) E.A	5	As per plant design TSS:50/BOD:30/COD:50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
21		Molar band (DJB)	0.66	As per plant design TSS:50/BOD:30/COD:50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
22		Ghitorini (DJB) ASP	5	As per plant design TSS:50/BOD:30/COD:50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
23		Vasant Kunj Ph-I (DJB) E.A	2.2																				

[illegible]

[illegible]

[illegible]




Sewage Treatment Plant (Operator) Technology	Capacity	DPCC Parameter (mg/l) (TSS:10,BOD:10, COD:50, NH4-N:5,PO4-P:2, Oil& grease : 10, f.coliform: 230 MPN/100ml)	pH		TSS		BOD (3 DAYS at 27 0 C)		COD		Ammonical nitrogen		Dissolve phosphate		Oil & Grease		Fecal Coliform (72 hrs)		Remarks
			INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	
	(MGD)	Parameter Limits	-	-	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	MPN/100ml	MPN/100ml	
Keshopur Ph-I (VA-TECH WABAG LTD.) ASP	12	As per plant design TSS:30/BOD:20/COD:50/NH4-N:5/PO4:2/O &G:1.2/f.C:2500 MPN/100ml	-	7.68	-	10	-	4	-	21	-	0.4	-	0.6	-	-	-	150	
Keshopur Ph-II (Ayaappa Pvt.Ltd) ASP(IFAS)	20	As per DPCC limits	-	7.74	-	7	-	7	-	26	-	1	-	0.5	-	-	-	150	
Keshopur Ph-III (Ayaappa Pvt.Ltd) ASP	60	As per DPCC limits	-	7.69	-	8	-	6	-	28	-	0.6	-	0.5	-	-	-	210	
Kapashera (Triveni Pvt. Ltd) SBR	5	As per plant design TSS:10/BOD:10/COD:50/NH4: 5/O&G:1.2/PO4:1/f.C:1000/100ml	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kondli Ph-I (Triveni Pvt. Ltd) ASP	10	As per DPCC limits	7.2	7.5	238	9	147	7	-	-	32	0.6	3	0.8			120 X10^14	36	
Kondli Ph-II (Triveni Pvt. Ltd) ASP	25	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kondli Ph-III (Triveni Pvt. Ltd) ASP	10	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kondli Ph-IV (Ayaappa Pvt.Ltd) ASP(IFAS)	45	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chilla (HNB Engineers) C-ISBR	9	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CWG (M/s Toshiba Water Soluti on Pvt. Ltd.) MBR	1	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Coronation Pillar Ph-II (DRA Infracom Pvt.Ltd.) ASP(IFAS)	20	As per plant design TSS:30/BOD:20/COD:50/NH4-N:5/PO4:1/O &G:1.2/f.C:230	7	7.5	176	08	111	03	298	14	20	0.5	1.7	0.9			-	-	
Coronation Pillar Ph-III (DRA Infracom Pvt.Ltd.) ASP(IFAS)	10	As per DPCC limits	7.1	7.5	178	08	104	03	268	15	21	0.7	1.9	1			-	-	
Coronation New (L&T Construction and PASSAVANT (JV)) ASP	70	As per DPCC limits	7	7.5	384	10	203	05	538	14	24	0.9	2.4	1.3			-	-	
Narela (DRA Infracom Pvt.Ltd.) ASP(IFAS)	10	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nilothi Ph-I (SUBHASH INFRA PVT. LTD) ASP(IFAS)	60	As per DPCC limits	-	7.72	-	12	-	7	-	28	-	13	-	1.5	-	-	-	160	
Nilothi Ph-II (VEOLIA INDIA) ASP	20	As per DPCC limits		7.77	-	14	-	6	-	30	-	12	-	0.7	-	-	-	210	
Okhla Ph-V (DJB) ASP	16	As per plant design TSS:50/BOD:30/COD:50	7.23	7.47	194	14	218	5.8	(-)	(-)	25	1	3.4	3	4	ND	-	-	
Okhla Ph-VI (SUEZ India Pvt. Ltd.) ASP	30	As per DPCC limits	7.32	7.5	262	9	168	4.6	(-)	(-)	30	0.2	4	2.3	5	ND	-	-	
Okhla New (SUEZ India Pvt. Ltd.) ASP	124	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mehrauli (DJB) E.A	5	As per plant design TSS:50/BOD:30/COD:50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Molar band (DJB)	0.66	As per plant design TSS:50/BOD:30/COD:50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ghitorini (DJB) ASP	5	As per plant design TSS:50/BOD:30/COD:50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Vasant Kunj Ph-I (DJB) E.A	2.2	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Vasant Kunj Ph-II (DJB) E.A	3	As per plant design TSS:50/BOD:30/COD:50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Delhi Gate Ph-I (Degramont) B & D	2.2	As per DPCC limits	-	-	-	-													

[illegible]

[illegible]

[illegible]



DATE OF ANALYSIS : 26.03.2026																							
S.No.	Lab	Sewage Treatment Plant (Operator) Technology	Capacity	DPCC Parameter (mg/l) (TSS:10,BOD:10, COD:50, NH4-N:5,PO4-P:2, Oil& grease : 10, f.coliform: 230 MPN/100ml)	pH		TSS		BOD (3 DAYS at 27 0 C)		COD		Ammonical nitrogen		Dissolve phosphate		Oil & Grease		Fecal Coliform (72 hrs)		Remarks		
					INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET	INLET	OUTLET		INLET	OUTLET
					(MGD)	Parameter Limits	-	-	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l		mg/l	mg/l
1	Keshopur	Keshopur Ph-I (VA-TECH WABAG LTD.) ASP	12	As per plant design TSS:30/BOD:20/COD:50/NH4-N:5/PO4:2/O &G:1.2/f.C:2500 MPN/100ml	-	7.71	-	6	-	-	-	-	-	0.4	-	1.2	-	-	-	-			
2		Keshopur Ph-II (Ayaappa Pvt.Ltd) ASP(IFAS)	20	As per DPCC limits	-	7.69	-	6	-	-	-	-	-	2	-	0.4	-	-	-	-			
3		Keshopur Ph-III (Ayaappa Pvt.Ltd) ASP	60	As per DPCC limits	-	7.7	-	6	-	-	-	-	-	3	-	0.6	-	-	-	-			
4		Kapashera (Triveni Pvt. Ltd) SBR	5	As per plant design TSS:10/BOD:10/COD:50/NH4: 5/O&G:1.2/PO4:1/f.C:1000/100ml	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
5	Kondli	Kondli Ph-I (Triveni Pvt. Ltd) ASP	10	As per DPCC limits	7.2	7.6	264	6	140	4	482	14	35	1.5	3.5				210 X 10^14	36			
6		Kondli Ph-II (Triveni Pvt. Ltd) ASP	25	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
7		Kondli Ph-III (Triveni Pvt. Ltd) ASP	10	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
8		Kondli Ph-IV (Ayaappa Pvt.Ltd) ASP(IFAS)	45	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
9		Chilla (HNB Engineers) C-ISBR	9	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
10		CWG (M/s Toshiba Water Soluti on Pvt. Ltd.) MBR	1	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
11	N.S.T.P.C.Pillar	Coronation Pillar Ph-II (DRA Infracom Pvt.Ltd.) ASP(IFAS)	20	As per plant design TSS:30/BOD:20/COD:50/NH4-N:5/PO4:1/O &G:1.2/f.C:230	7.2	7.5	212	07	181	04	312	14	20	0.7	1.7	0.8			-	-			
12		Coronation Pillar Ph-III (DRA Infracom Pvt.Ltd.) ASP(IFAS)	10	As per DPCC limits	7.1	7.6	220	10	103	04	297	14	23	0.6	2.7	1.8	NA	NA	-	-			
13		Coronation New (L&T Construction and PASSAVANT (JV)) ASP	70	As per DPCC limits	7	7.5	314	07	164	03	412	16	27	0.5	2	1			-	-			
14		Narela (DRA Infracom Pvt.Ltd.) ASP(IFAS)	10	As per DPCC limits	7	7.4	304	08	106	04	394	18	30	1	2.7	1			-	-			
15	Nilothi	Nilothi Ph-I (SUBHASH INFRA PVT. LTD) ASP(IFAS)	60	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
16		Nilothi Ph-II (VEOLIA INDIA) ASP	20	As per DPCC limits	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
17	Okhla	Okhla Ph-V (DJB) ASP	16	As per plant design TSS:50/BOD:30/COD:50	7.42	7.68	188	7	160	4	1011	26	40	1	3.8	3.6	2	ND					
18		Okhla Ph-VI (SUEZ India Pvt. Ltd.) ASP	30	As per DPCC limits	7.51	7.59	262	6	200	3	1341	30	42.5	0.2	3.2	1.8	3	ND					
19		Okhla New (SUEZ India Pvt. Ltd.) ASP	124	As per DPCC limits	7.45	7.69	224	8	180	4	1335	27	35	0.3	4	3.6	3	ND					
20		Mehrauli (DJB) E.A	5	As per plant design TSS:50/BOD:30/COD:50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
21		Molar band (DJB)	0.66	As per plant design TSS:50/BOD:30/COD:50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
22		Ghitorini (DJB) ASP	5	As per plant design TSS:50/BOD:30/COD:50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
23		Vasant Kunj Ph-I (DJB) E.A	2.																				

ASP	Activated Sludge Process
ASP(IFAS)	Activated Sludge Process with Integrated Fixed-film Activated Sludge
E.A	Extended Aeration
FAB	Fluidized Aerobic Bed
B & D	Biofor and dansadeg
C-ISBR	Combitreat-ISBR
W	Waiting
ND	Not Detectable
BDL	Bellow Detection Limit

ASP	Activated Sludge Process
ASP(IFAS)	Activated Sludge Process with Integrated Fixed-film Activated Sludge
E.A	Extended Aeration
FAB	Fluidized Aerobic Bed
B & D	Biofor and dansadeg
C-ISBR	Combitreat-ISBR
W	Waiting
ND	Not Detectable
BDL	Bellow Detection Limit



DATE OF ANALYSIS : 28 03 2026

[illegible]

ASP	Activated Sludge Process
ASP(IFAS)	Activated Sludge Process with Integrated Fixed-film Activated Sludge
E.A	Extended Aeration
FAB	Fluidized Aerobic Bed
B & D	Biofor and dansadeg
C-ISBR	Combitreat-ISBR
W	Waiting
ND	Not Detectable
BDL	Bellow Detection Limit



[illegible]

ASP	Activated Sludge Process
ASP(IFAS)	Activated Sludge Process with Integrated Fixed-film Activated Sludge
E.A	Extended Aeration
FAB	Fluidized Aerobic Bed
B & D	Biofor and dansadeg
C-ISBR	Combitreat-ISBR
W	Waiting
ND	Not Detectable
BDL	Bellow Detection Limit

DELHI JAL BOARD

DAILY ANALYSIS REPORT OF ALL SEWAGE TREATMENT PLANT

DATE OF ANALYSIS : 30.03.2026

[illegible]

ASP	Activated Sludge Process
ASP(IFAS)	Activated Sludge Process with Integrated Fixed-film Activated Sludge
E.A	Extended Aeration
FAB	Fluidized Aerobic Bed
B & D	Biofor and dansadeg
C-ISBR	Combitreat-ISBR
W	Waiting
ND	Not Detectable
BDL	Bellow Detection Limit