



DAILY WATER QUALITY SURVEILLANCE REPORT ON DT. 23.06.2026

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES	
					Address	Clarity
1	Wazirabad	58	58	Nil	--	--
2	Haiderpur	20	20	Nil	--	--
3	Bhagirathi / TYR	61	60	01	H.NO.B-56 EAST NATHU COLONY GURUDWARA WALI GALI	TURBID
4	Greater Kailash	43	34	09	H.No. 1320, Rajokari village	Sewage
					H.No. 1327, Rajokari village	Sewage
					H.No. 1329, Rajokari village	Sewage
					T/w near Dispensary, Bhartal village	Clear
					T/w at Shamsan ghat road near Manohar Lal House, Bhartal village	Clear
					T/w near Primary School, Bhartal village	Clear
					T/w near park, Shabbad Mohammadpur village	Clear
					T/w near J.K. Tent House, Shabbad Mohammadpur village	Clear
					T/w at Lamba Choupal, Shabbad Mohammadpur village	Clear
					T/W Kundan Palace Jasola Vihar	Clear
5	Okhla	37	21	16	T/W Hanuman Mandir Jasola Vihar	Clear
					T/W Shiv Mandir Jasola Vihar	Clear
					T/W Dhruv Public School Jasola Vihar	Clear
					T/W i Advocate Compound Jasola Vihar	Clear
					T/W in Punjabi Gali Jasola Vihar	Clear
					T/W in Shiv Mandir Jasola Vihar	Clear
					T/W C-6 Jasola Kirana Store Jasola Vihar	Clear
					T/W Classic Bakery Jasola Vihar	Clear
					T/W in Alaknada Jasola Vihar	Clear
					T/W in Salman Chowk Jasola Vihar	Clear
6	Nangloi	150	150	Nil	T/W in Jatav Mohalla Jasola Vihar	Clear
					T/W Ramesh Gupta Tailor Jasola Vihar	Clear
7	Dwarka	16	12	04	T/W Om Medicose Jasola Vihar	Clear
					T/W DurgaMandir Jasola Vihar	Clear
8	Bawana	Nil	Nil	Nil	T/W MCD Prathiba Vidyalaya Jasola Vihar	Clear
					H.No-268, Shree Keshav Kunj Apartments, Sector 17D, Dwarka	Clear
Total	Total	385	355	30	H.NO- R19 SECOND FLOOR SAINIK NAGAR NAWADA UTTAMNAGAR	Clear
					H.No-C1-78, SAINIK NAGAR MATIALA VILLAGE UTTAM NAGAR	Clear
					House number 17, sector 6, Pocket I, DDA SFS Dwarka.	Clear
					--	Clear

% of Unsatisfactory Samples - 7.79

Director (T&QC)



आजादी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 22.06.2026

REFERENCE REPORT ON DTD. 22.06.2026								
S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES			
					Address		Clarity	RCI ₂
1	Wazirabad	31	31	Nil				
2	Haiderpur	20	20	Nil				
3	Bhagirathi / TYR	62	58	04	H.NO. C-29, H.NO. C-42 GALI NO-05 WEST JYOTI NAGAR SHAHDARA H.NO. C-49, H.NO. C-50 GALI NO. 05 MAIN ROAD WEST JYOTI NAGAR SHAHDARA		HAZY	NIL
4	Greater Kailash	45	39	06	T/w at M.B. Extn.-II 60 Futa road Gali No. 65, Badarpur T/w at M.B. Extn.-II Gali No. 62, M.B Extn., Badarpur T/w at E-2, M.B Extn., Badarpur T/w at Gali No. 01, F Block near Sangam puri, Badarpur T/w at M.B. Extn. Shamsanghat inside BPS, Badarpur T/w at Shamsanghat near Transformer, M.B. Extn., Badarpur		Clear Clear Clear Clear Clear	Nil Nil Nil Nil Nil
5	Okhla	54	25	29	T/W in Masjid Iqra Pocket-I I jasola Vihar T/W SBI ATM Okhla Vihar T/W Lucifer (New) D Block Jasola Vihar T/W Lucifee (Old) D-Block T/W SBI ATM (New) D-Block T/W Near Apollo Medical Okhla Vihar T/W CND okhla Vihar T/W C-4 Okhla vihar T/W Aslam House B-Block Okhla Vihar T/W Rafiq Hotel Okhla Vihar T/W Cacsra Masjid (Old) Okla Vihar T/W C-Block Aganwadi Okhla Vihar T/W Suleman wala Okhla Vihar T/W Pilar No.128 Okhla Vihar T/W C-Block Masjid Okhla Vihar		Clear	Nil

					T/W Casca Masjid (New Borewell) Okhla Vihar T/W Iqbal Fazi B-Block Okhla Vihar T/W A-1 Classic Bekary Okhla Vihar T/W in Usman Masjid farm T/W in Gali No.-1 Johari farm T/W in Gali no.3 Johari farm T/W in Gali no.7 Johari farm T/W in Gali no.8 Johari farm T/W in Gali no.9 Johari farm T/W in Noor Nagar Jhuggi No.1 T/W in Noor Nagar Jhuggi No.2 T/W in Noor Nagar Jhuggi No.3 T/W in Junior School MCD Noor Nagar T/W in Senior School MCD Noor Nagar		
6	Nangloi	158	156	02	H No K-1/58 K-1 Extn Zaildar Enclave Mohan Garden H No A-1/375 B Dal Mil Road Uttam Nagar	Sewage Mix Sewage Mix	Nil Nil
7	Dwarka	28	25	03	HNO- RZG855, Third Floor, GALI NO 17, G BLOCK, RAJ NAGAR PART 2, PALAM COLONY, H NO - RZG 542 GALI NO- 17 RAJ NAGAR PART- 2 NEAR SANJAY DAIRY H NO. RZG 855, Fourth Floor, GALI NO. 17, RAJ NAGAR PART 2	Clear Clear Clear	Nil Nil Nil
8.	Bawana	28	28	Nil	-	-	-
	Total	426	382	44			

% of Unsatisfactory Samples - 10.3%

Director (T&QC)



आजादी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 21.06.2026

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	R/C1 ₂
1	Wazirabad	29	29	Nil	-	-	-
2	Haiderpur	40	40	Nil	-	-	-
3	Bhagirathi / TYR	29	29	Nil	-	-	-
4	Greater Kailash	12	12	Nil	-	-	-
5	Okhla	20	20	Nil	-	-	-
6	Nangloi	154	154	Nil	-	-	-
7	Dwarka	Nil	Nil	Nil	-	-	-
8.	Bawana	Nil	Nil	Nil	-	-	-
	Total	284	284	Nil	-	-	-

% of Unsatisfactory Samples - 0

Director (T&QC)



आजादी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 20.06.2026

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	R/Clt
1	Wazirabad	40	40	Nil			
2	Haiderpur	51	51	Nil			
3	Bhagiriathi / TYR	40	40	Nil	-	-	-
4	Greater Kailash	47	34	13	T/w at Block D1 E/1138, Sangam vihar	Clear	Nil
					T/w at Block D 4/15, Sangam vihar	Clear	Nil
					T/w at Block D 5/67 (No.1), Sangam vihar	Clear	Nil
					T/w at Block D 5/320 (No.2), Sangam vihar	Clear	Nil
					T/w at Block E-6A/285 (No.2), Sangam vihar	Clear	Nil
					T/w at Block F-2/716 (No.3), Sangam vihar	Clear	Nil
					T/w at Block F-1/105, Sangam vihar	Clear	Nil
					T/w at Block G-9, (T/w No.1) Sangam vihar	Clear	Nil
					T/w at Block G-9, (T/w No.2) Sangam vihar	Clear	Nil
					T/w at Block D 4/34, Sangam vihar	Clear	Nil
5	Okhla	44	35	09	T/w at Block G-8/425, Masjid gali, Sangam vihar	Clear	Nil
					T/w at Block E-7/C, Sangam vihar	Clear	Nil
					T/w at Block G-469/18, Sangam vihar	Clear	Nil
					MG- 149TW Moti Sweet Malviya Nagar		
					MG- 146TW Iaxmi Narayan Mandir Malviya Nagar		
					MG- 004TW 4 & 5 Block Malviya Nagar		
					MG- 007TW C-82 Malviya Nagar		
					MG- 006 TW C-45 Malviya Nagar		
					MG- 005TW Gumbad Wala Malviya Nagar		
					MG- 008TW E9/12 Malviya Nagar		
6	Nangloi	161	161	Nil	MG- 009TW L-57 Malviya Nagar		
					MG- 011TW L-50 Malviya Nagar		
7	Dwarka	20	17	03	H.N. RZH/824, GALIN. 13, RAJ NAGAR-2 PALAM COLONY	Turbid	Nil
8.	Bawana	Nil	Nil	Nil	H NO-RZH-869 GALI NO-13 RAJ NAGAR PART-2 PALAM COLONY	Turbid	
	Total	403	378	25	Hno-RZH-721, Gali No-14 Raj Nagar-2	-	-

% of Unsatisfactory Samples - 6.20

Director (T&QC)



OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 19.06.2026

[illegible]

% of Unsatisfactory Samples - 4.33

Director (T&QC)



OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

WATER QUALITY SURVEILLANCE REPORT ON DTD. 18.06.2026							
S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	RCl ₂
1	Mazirabad	63	63	Nil	--	--	
2	Halderpur	43	43	Nil	--	--	
3	Bhagirathi / TYR	62	52	10	H.NO.E-152 GALI NO-06, H.NO.E-117A GALI NO-10, H.NO.E-207 GALI NO.6, H.NO.E-117 GALI NO.4, H.NO.B-140 GALI NO.7, H.NO.B-120A GALI NO.7, H.NO.J-24/46, H.NO.J-58A EAST VINOD NAGAR H.NO.A-11/140, H.NO.A-11/142 GALI NO.11 BHAIJANPURA	CLEAR	NIL
4	Greater Kailash	50	32	18	T/w at Harijan Choupal, Bijwasan T/w at Khatta (Bal Raj House), Bijwasan T/w near Vijay House, Bijwasan T/w near Dilbagh wala/ pan vihar T/w near Taxi stand palam vihar T/w at Satish House, Bijwasan T/w at Shanshanghat, Bijwasan T/w at Holi Chowk near Jons, Bijwasan T/w near Mahabir House, Bijwasan T/w near Balwan Rana near Rly crossing, Bijwasan T/w near Rly Line Ambedkar colony, Bijwasan T/w at Saini Choupal, near Dilip House, Bijwasan T/w at Bijwasan nayak Mohalla, Phirni, Bijwasan T/w Jatav Basti Gali No. 4, Bijwasan T/w at Bijwasan Balmiki Basti, Bijwasan T/w at Bijwasan Flyover, Bijwasan T/w at Binni wala near Rly Fatak, Bijwasan T/w at Dalmia vihar Nala wala, Mamchand Dharmshala, Bijwasan	CLEAR	NIL
5	Okhla	15	15	Nil		-	-

6	Nangloi	164	161	03	No 73 Gali No 3 Sidharth Enclave Bhagwati Garden No C-63 Bhagwati Garden No A-21 Gali No 4 Bhagwati Garden	Sewage Mix Sewage Mix Sewage Mix	Nil Nil Nil
7	Dwarka	27	22	05	HNO- RZJ-118A, GALI NO-7, PURAN NAGAR, PALAM hno:- rz 674/9, gali no-27 shad nagar part 2 palam colony rajrani apartment HNO-553 GALI NO-27H KH NO673/13 SADH NAGAR PART-2 HNO- RZ 674/9 I FLOOR GALI NO-27H KHACHRA NO 673/3/13 SADH NAGAR PART-2 Hno-RZE-668/22, Gali No-20 Sadh Nagar-2	Turbid Clear Clear Clear	Nil Nil Nil Nil
8.	Bawana	28	28	Nil	-	-	-
	Total	452	416	36			

% of Unsatisfactory Samples 4.96

Director (T&QC)



आज्ञादी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 17.06.2026

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	R/Cltz
1	Wazirabad	57	57				
2	Haiderpur	40	40				
3	Bhagirathi / TYR	67	67				
4	Greater Kailash	44	33	11	H.No. F62/5, Suman colony, Chhatrapur extn. T/w at Chand Colony, Chhuriya Mohalla Sher Singh, TKD village T/w at Bengali colony Gati No. 10, TKD village T/w at Bengali colony Gati No. 15, TKD village T/w at Master colony near Sanjay House, TKD village T/w at Master colony near Bali House, TKD village T/w at Bengali colony Gati No. 3, TKD village T/w at Bengali colony Gati No. 20, Nirmal Public School, TKD village T/w at Bengali colony Gati No. 13, Main road, TKD village T/w at Bengali colony Gati No. 13/5, TKD village T/w at Bengali colony Gati No. 18, near Masjid, TKD village RK-107 T/W Rock Garden-I Munnirka Village RK-155 T/W Nr Saroday School, Sector -3, R K Puram RK-157 T/W Fakar Wala Munnirka RK-162 T/W Munnirka Village RK-163 T/W Munnirka Enclave RK-166 T/W Rock Garden-II Munnirka Village RK-158 T/W Balmiki Mohalla Basant Gaon RK-159 T/W Balmiki Mandir Vasant Vihar RK-160 T/W Prajapati Chaupal Vasant Vihar RK-165 T/W OHT Vasant Village H No E-131, 132 Bhagwati Garden H No A-12 Bhagwati Garden Extn H No G-1/537 G No 2 Dal Mill Road Uttam Nagar	Clear	Nil
					Clear	Nil	
					Clear	Nil	
					Clear	Nil	
					Clear	Nil	
5	Okhla	43	33	10			
6	Nangloi	163	160	03			
7	Dwarka	17	17	Nil			
8	Bawana	25	25	-			
Total		456	432	24			

% of Unsatisfactory Samples – 5.26

Director (T&QC)



आज्ञादी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 16.06.2026

[illegible]

% of Unsatisfactory Samples – 5.18

Director (T&QC)

				H.No-RZF-1064, Guru Nanak Marg, Raj Nagar Part-02 RZF-1066A GURU NANAK MARG RAJ NAGAR PART-2 H.No-RZF-1064A, Guru Nanak Marg, Raj Nagar Part-02 H.No-RZF-1062, Guru Nanak Marg, Raj Nagar Part-02 H.No-RZF-1058, Guru Nanak Marg, Raj Nagar Part-03 H.No-H-661, H-Block, Gali No-16, Raj Nagar Part-02 H.No-RZH-663, H-Block, Gali No-16, Raj Nagar Part-02 H.No-H-657, H-Block, Gali No-16, Raj Nagar Part-02		
8.	Bawana	26	26	Nil	-	-
	Total	441	412	29		

% of Unsatisfactory Samples – 6.58

Director (T&QC)



आजादी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&OC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 11005

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 14.06.2026

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFA CTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATERSAMPLES		
					Address	Clarity	R/Cl ₂
1	Wazirabad	37	37	Nil			
2	Haiderpur	47	47	Nil			
3	Bhagirathi / TYR	27	27	Nil			
4	Greater Kailash	13	13	Nil	-	-	-
5	Okhla	20	20	Nil	-	-	-
6	Nangloi	157	157	Nil	-	-	-
7	Dwarka	Nil	Nil	Nil	-	-	-
8.	Bawana	Nil	Nil	Nil	-	-	-
	Total	301	301	Nil			

% of Unsatisfactory Samples - 0

Director (T&OC)



आजादी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 13.06.2026

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	R/C ₁₂
1	Wazirabad	60	59	01	H.No. 44/2 1st Floor Patel Chest Flat Opp. Law Faculty	Clear	Nil
2	Haiderpur	45	45	Nil	H.No- 591-B, 591/2A, 591/A1, 591/7K, ARJUN GALLI, VISHWAS NAGAR	CLEAR	NIL
3	Bhagirathi / TYR	41	37	04	T/w inside BPS Jaipur village T/w at gali no.33 M.B. extn. T/w at gali no.39, No.1, M.B. extn. T/w at gali no.40 M.B. extn. T/w at gali no.39, No.2, M.B. extn. T/w at gali no.54, 1st 60 futa road M.B. extn. T/w at Shamsanghat opposite gate M.B. extn. T/w at Gali No.52 M.B. extn. T/w at Gali No.49 M.B. extn. T/w at Gali No.37 near Cement shop M.B. extn. T/w at Gali No.45 M.B. extn.	Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear	Nil Nil Nil Nil Nil Nil Nil Nil Nil Nil Nil
4	Greater Kailash	52	41	11	T/W in nepali camp -1 vasant vihar T/W in nepali camp -2 vasant vihar T/W in nepali camp (New) vasant vihar T/W in bhabar singh camp (New) vasant vihar T/W in bhabar singh camp -1 vasant vihar T/W in bhabar singh camp -2 vasant vihar T/W in bhabar singh camp -3 vasant vihar T/W in bhabar singh camp Mandir wala vasant vihar	Clear Clear Clear Clear Clear Clear Clear Clear	Nil Nil Nil Nil Nil Nil Nil Nil
5	Okhla	61	51	10			

					T/W in DDA Janta flat vasant vihar T/W in sri ram school vasant vihar	Clear	Nil Nil
6	Nangloi	151	150	01	H No RZ-49 Mohan Garden	Clear	Nil
					RZF-1066A GURU NANAK MARG RAJ NAGAR PART- 2 PALAM COLONY	Turbid	Nil
					H.NO-635, BLOCK-H GALI NO-16 RAJ NAGAR-2	Hazy	Nil
					H.No-RZF-1071, Guru Nanak Marg, Raj Nagar Part-02	Clear	Nil
					H.No-RZF-1066, Guru Nanak Marg, Raj Nagar Part-02	Hazy	Nil
					H.No-RZF-1062, Guru Nanak Marg, Raj Nagar Part-02	Turbid	Nil
					H.No-RZF-1064A, Guru Nanak Marg, Raj Nagar Part-02	Hazy	Nil
					H.No-RZF-1064, Guru Nanak Marg, Raj Nagar Part-02	clear	Nil
					H.No-RZF-1045, Guru Nanak Marg, Raj Nagar Part-02	Hazy	Nil
					H.No-RZH-631, H-Block, Gali No-16, Raj Nagar Part-02	Turbid	Nil
					H.No-RZH-635B, H-Block, Gali No-16, Raj Nagar Part-02	Hazy	Nil
					H.No-RZH-635A, H-Block, Gali No-16, Raj Nagar Part-02	Hazy	Nil
8.	Bawana	28	28	Nil	-	-	-
	Total	471	433	38			

% of Unsatisfactory Samples – 8.07

Director (T&QC)



आजादी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 12.06.2026

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	R/c ₁
1	Wazirabad	65	62	03	H.no. A-206 Gali No.4 Kamal Vihar Burari H.no. 10/4 Gali No.15 Kamal Vihar Burari H.no. 65/2 Gali No. 3 Uttarakhanda Enclave Burari	Muddy Muddy Hazy	Nil Nil Nil
2	Haiderpur	45	45	Nil	-		
3	Bhagirathi / TYR	59	59	Nil	T/w inside BPS ESL, Tehkhand village BPS Chhuriya mohalla, Tehkhand village	Clear Clear	Nil Nil
4	Greater Kailash	49	47	02	Rk008 T/W near H.No.500, Rk Puram sector-2 Rk011 T/W OHT Rk Puram sector-3 Rk013 T/W Near H.No. 1123 Rk Puram sector-3 Rk041 T/W koylekited Rk Puram sector-7 Rk042 T/W Rk Puram sector-9 Market Rk043 T/W KD colony I near dispensary Rk Puram sector-12 Rk044 T/W KD colony II near Suraj Tent Rk Puram sector-12 Rk045 T/W KD colony III near Dispensary Rk Puram sector-12 Rk046 T/W KD colony IV near JJ Slum Rk Puram sector-12 Rk047 T/W KD colony IV near Slum IIRk Puram sector-12	Clear	Nil
5	Okhla	38	28	10	E - 87, Gali No 14, Bhagwati Garden Extn A - 12, Bhagwati Garden Extn H.NO-72, Pole-03, Bannoli Village, Dwarka Sec-28	Sewage/ Clear	Nil Nil
6	Nangloi	165	163	02			
7	Dwarka	27	26	01			
8.	Bawana	30	30	Nil			
	Total	478	460	18			

% of Unsatisfactory Samples - 3.76

Director (T&QC)



आजादी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 11.06.2026

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	Residue
1	Wazirabad	61	61	Nil			
2	Haiderpur	53	53	Nil			
3	Bhagiriathi / TYR	60	54	06	H.NO-F-68/B, 69/B III FLOOR GALI NO-12, F-60/151, F-9, F-30MANGAL BAZAR LAXMI NAGAR Govt. of Delhi, Dispensary L-102(F.F) LAXMI NAGAR	CLEAR	NIL
4	Greater Kailash	29	22	07	T/w at Z block No. 2, Harkesh nagar T/w at Sanatan dharna mandir, near mandi, Harkesh nagar T/w at Y block, Okhla PH- II T/w at S-54, Okhla PH- II T/w at Jatav chowk, Okhla PH- II T/w at B 5/1, Okhla PH- II T/w at W- 15, Okhla PH- II	CLEAR CLEAR CLEAR CLEAR CLEAR CLEAR CLEAR	Nil Nil Nil Nil Nil Nil Nil
5	Okhla	45	45	Nil	-	-	-
6	Nangloi	168	168	Nil	-	-	-
7	Dwarka	15	15	Nil	-	-	-
8.	Bawana	26	26	Nil	-	-	-
Total		457	444	13	-	-	-

% of Unsatisfactory Samples -- 2.84

Director (T&QC)