



आजादी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 24.05.2026

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	R/C ₂
1	Wazirabad	32	32	Nil	-	-	-
2	Haiderpur	44	44	Nil	-	-	-
3	Bhagirathi / TYR	31	31	Nil	-	-	-
4	Greater Kailash	13	13	Nil	-	-	-
5	Okhla	40	36	04	H.No- 199/9, Gaffar Manzil, Okhla H.No- 273/9, Gaffar Manzil, Okhla H.No- 235/9, Gaffar Manzil, Okhla H.No- 178/9, Gaffar Manzil, Okhla	Turbid Turbid Turbid Turbid	Nil Nil Nil Nil
6	Nangloi	156	154	02	H No 110 K H No 21-5 Adhayapak Nagar Nangloi H No D-58 Amanpuri Nangloi	Sewage Mix	Nil Nil
7	Dwarka	04	04	Nil	-	-	-
8.	Bawana	Nil	Nil	Nil	-	-	-
	Total	320	314	06		-	-

% of Unsatisfactory Samples—1.88

Director (T&QC)



आजोदी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 23.05.2026

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	Residue
1	Wazirabad	55	54	01	H.no. K-79/80, Jahangirpuri	HAZY	Nil
2	Haiderpur	46	45	01	H.No- 99A, BA-b/k, Janakpuri	Clear	Nil
3	Bhagirathi / TYR	51	48	03	H.NO.F-6, H.NO.F-5, H.NO.F-4 DHARMA APARMENT IP EXTENSION PATPARGANJ NEAR MOTHER DAIRY	HAZY	NIL
4	Greater Kailash	52	50	02	H.No. 674, Gali No. 4, Bijwasan T/w inside BPS Bhartal village	Clear Clear	Nil Nil
5	Okhla	40	31	09	H.No- B-90, Ground floor, Gulmohar Park	Turbid	Nil
					H.No- B-101, Ground floor Gulmohar Park		
					H.No- C-29, Ground floor Gulmohar Park		
					H.No- C-39, Ground floor, Gulmohar Park		
					H.No- C-42, Ground floor, Gulmohar Park		
					H.No- C-41, Ground floor, Gulmohar Park		
					H.No- D-61, 3rd floor, Gulmohar Park		
					H.No- D-47, Ground floor, Gulmohar Park		
					H.No- D-83, Ground floor, Gulmohar Park		
					H.No A5/70 Mainwali Nagar Paschim Vihar		
6	Nangloi	177	168	09	H.No A-48 Gali No 7 Shakti Vihar Mohan Garden	Sewage Mix	Nil
					H.No A-52 Shakti Vihar Mohan Garden		
					H.No B-43 Shakti Vihar Mohan Garden		
					H.No A-49 Gali No 7 Shakti Vihar Mohan Garden		
					H.No A-26 Shakti Vihar Gali No 4 Mohan Garden		
					H.No A-51B Gali No 7 Shakti Vihar Mohan Garden		
					H.No 30 Shakti Vihar Near Chaudhary Property Mohan Garden		
					H.No A-51 Gali No 7 Shakti Vihar Mohan Garden		
					H.No A-622, Gali No-16, H-BLOCK, RAJ NAGAR PART-2, PALAM COLONY, NEAR KENNEDY SCHOOL		
					2.HNO-RZ -G154, RAJ NAGAR PART 2 PALAM COLONY		
7	Dwarka	27	24	03	3.HNO - RZ-H-316, Gali NO-11, RAJ NAGAR-2, PALAM COLONY	Clear Clear Clear	Nil Nil Nil
8.	Bawana	Nil	Nil	Nil	-	-	-
Total		448	420	28			

% of Unsatisfactory Samples - 6.25

Director (T&QC)



आजदी का
अमृत महोत्सव


OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 22.05.2026

S. No	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTED	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES	
					Address	R/Cl ₂
1	Wazirabad	60	56	04	H.no. A-6 Kh. No. 7/15 Gali No.1 Utranchal Enclave Burari Kh. No. .10/22 Gali No.3 Utranchal Enclave Burari H.no. 7 Gali No.15 Block-A Kamalpur Burari H.no. 2019 III Rd Floor Outram Lane GTB Nagar	Hazy Hazy Hazy Hazy Nil
2	Haiderpur	48	46	02	H.NO. C-5B/36B, Janakpuri P/h at guard room, gate no.-5 BB blk, Janakpuri	Clear HAZY Nil
3	Bhagirathi / TYR	51	51	NIL		
4	Greater Kailash	51	49	02	H.No.RZ-248, Gali No.19, TKD extn. H.No.B-17, Chungi No.2, Lal Kuan	Clear Clear Nil
5	Okhla	45	41	04	H.No. C-44 D2 Khanpur Extantion H.No. C-44 A-5 Khanpur Extantion H.No. C-44 C-2 Khanpur Extantion C-44 Parking borewell sample Khanpur Extantion	Turbid Turbid Turbid Clear Nil
6	Nangloi	176	170	06	H.NO. E87 Gali No.14 Bhagwati Garden Ext Mohan Garden H.NO. A-12 Bhagwati Garden Ext mohan garden PLOT NO. 4B Block H Gali No.14 Bhagwati Garden Mohan H.NO. 122 R Block K-1 EXT Gurudwara Road Mohan Garden H.NO.121,122 R Block Mohan Garden H.NO.28 Shiv Vihar	Sewage Nil
7	Dwarka	30	25	05	H.NO.-SHOP NO.45, DDA POST OF. MARKET, DWARKA SECTOR-6 H.NO.-R19 SECOND FLOOR SAINIK NAGAR NAWADA UTTAM NAGAR H.No-C1-78, SAINIK NAGAR MATIALA VILLAGE UTTAM NAGAR	Clear Nil

					House number 17, sector 6, Pocket 1, DDA SFS Dwaraka. H NO- R19 1st FLOOR SAINIK NAGAR NAWADA, Dwaraka		
8.	Bawana	Nil	Nil	Nil	-	-	-
	Total	461	438	23			

% of Unsatisfactory Sampley - 4.91


Director (T&QC)



आजोदी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 21.05.2026

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	R/cl ₂
1	Wazirabad	40	39	01	H.no. D-130 JJ Colony Wazirpur Ashok Vihar	Hazy	Nil
2	Haiderpur	45	43	02	H.No. 99A, BA BLK, Janakpuri H.No. BD-93, Janakpuri	Hazy Clear	NIL NIL
3	Bhagirathi / TYR	60	56	04	H.NO.89,H.NO.85,H.NO.96 ,H.NO.91 POCKET -5 MAYUREVIHAR PHASE -I	HAZY	NIL
4	Greater Kailash	51	49	02	T/w at Harijan Basti D-Block Vasant kunj T/w at JJ camp B-5&6 Vasant kunj	Clear Clear	Nil Nil
5	Okha	48	42	06	H.no. H-235 sec-5 Dakinpuri H.no. H-235 sec-5 Dakinpuri H.no. H-235 sec-5 Dakinpuri H.no. H-235 sec-5 Dakinpuri H.no. H-235 sec-5 Dakinpuri H.no. H-235 sec-5 Dakinpuri	Clear Clear Clear Clear Clear Clear	Nil Nil Nil Nil Nil Nil
6	Nangloi	172	170	02	H No 426 1st Floor H- Block Vikaspuri H No F-83A Block-F Vikaspuri	Sewage Mix	Nil Nil
7	Dwarka	24	23	01	Hno-F-14, Street no.10, Rajapuri, Uttam Nagar	Sewage	Nil
8.	Bawana	27	27	Nil	-	-	-
Total		467	449	18			

% of Unsatisfactory Samples = 3.85

Director (T&QC)



आज्ञादी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&Q)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATERWORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 20.05.2026

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	Res.
1	Wazirabad	39	37	02	H.no. R-115/1 Model Town III H.no. C/48 Gali No.6 Majlish Park	Hazy Clear	Nil Nil
2	Haiderpur	45	44	01	UGR 332, Rajouri Garden	CLEAR	NIL
3	Bhagirathi / TYR	50	38	12	H.NO-E-5 IIND FLOOR, E-4, E-8,6.E-10, E-15, E-16 GANESH NAGAR PANDAV NAGAR H.NO-B-56,B-57 GURUDWARA GALI EAST NATHU COLONY H.NO-D-22 GANESH NAGAR PANDAV NAGAR H.NO-D-94 GANESH NAGAR H.NO-D-274 GALI NO-11 GANESH NAGAR PANDAV NAGAR	HAZY HAZY HAZY HAZY	NIL NIL NIL NIL
4	Greater Kailash	48	46	02	T/w at cycle house TKD extn. T/w at New Murga market TKD extn	Clear Clear	Nil Nil
5	Okhla	20	20	Nil	--	--	--
6	Nangloi	168	162	06	H No 520 MS Block Ranaji Enclave Gali No P 6/8 Najafgarh H No 81 Street No 22 Ranaji Enclave Najafgarh H No 693 MS Block Gali No 1 Ranaji Enclave Part III H No 13/A MS Block Gali No C 16 Ranaji Enclave H No A-184 Vikaspuri H No A-112 Opposite AG-1 Market Vikaspuri	Sewage Mix	Nil
7	Dwarka	33	30	03	H.No-635, H-BLOCK, GALI NO-16 RAJ NAGAR-2 H.No-635, H-BLOCK, GALI NO-16 RAJ NAGAR-2 H.NO-RZH861B, GALI NO-14, RAJ NAGAR PART 2	Clear	Nil
8.	Bawana	28	28	Nil	-	-	-
	Total	431	405	26			

% of Unsatisfactory Samples - 6.0

Director (T&QC)



आज्ञादी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 19.05.2026

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	R/C ₁
1	Wazirabad	59	55	04	H.no. 3802/5 Kanhaiya Nagar Tri Nagar H.no. 4209/1 Jai Mata Mkt. Tri Nagar H.no. 2882/215 Vishram Nagar Tri Nagar H.no. 347/27 Omkar Nagar Tri Nagar	Hazy Clear Hazy Clear	Nil Nil Nil Nil
2	Haidepur	60	60	Nil			
3	Bhagiriathi / TYR	56	53	03	H.NO.B-100,H.NO.B-98,H.NO.B-64 PANDAV NAGAR	TURBID	Nil
4	Greater Kailash	42	41	01	BPS A-Block (New) Harkesh Nagar	Clear	Nil
5	Okhla	19	19	Nil	-	-	-
6	Nangloi	158	158	Nil			
7	Dwarka	27	24	03	H.NO-RZ3/276, ASHOK PARK, GANDHI MARKET,SAGARPUR HNO=13 GALI NO -4 ASHOK PARK WEST SAGARPUR NEAR ARYA SAMAJ ROAD H.NO-RZ2, ASHOK PARK, WEST SAGARPUR	Clear Clear Clear	Nil Nil Nil
8.	Bawana	30	30	Nil	-	-	-
	Total	451	440	11			

% of Unsatisfactory Samples - 2.43

Director (T&QC)



आजादी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 18.05.2026

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	RCl ₂
1	Wazirabad	60	60	Nil	-	-	-
2	Haiderpur	48	48	Nil	-	-	-
3	Bhagirathi / TYR	55	55	Nil	-	-	-
4	Greater Kailash	49	48	01	H.No. 1122 JJ colony Tigri	Clear	Nil
5	Okhla	43	43	Nil	-	-	-
6	Nangloi	161	160	01	No F-36/1-33A Gali No 3 Mohan Garden	Sewage mix	Nil
7	Dwarka	27	19	08	-	-	-
8.	Bawana	26	26	Nil	-	-	-
	Total	469	459	10			

% of Unsatisfactory Samples - 2.13

Director (T&QC)



OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 17.05.2026

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	RCI ₂
1	Wazirabad	32	32	Nil	-	-	-
2	Haiderpur	55	55	Nil	-	-	-
3	Bhagirathi / TYR	31	31	Nil	-	-	-
4	Greater Kailash	12	12	Nil	-	-	-
5	Okhla	20	20	Nil	-	-	-
6	Nangloi	149	149	Nil	-	-	-
7	Dwarka	04	04	Nil	-	-	-
8.	Bawana	Nil	Nil	Nil	-	-	-
Total		303	303	Nil			

% of Unsatisfactory Samples - 0

Director (T&QC)



आजोदी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 16.05.2026

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	R/C ₂
1	Wazirabad	64	60	04	H.no. 208B Block Gali No. 15 Kamal Vihar H.no. 22/2 Block Gali No. 15 Kamal Vihar H.no. 8/23/1 C-Block Gali No.20 Kamal Vihar H.no. 10F Block Tomar Colony Burari	Hazy Hazy Hazy Hazy	Nil Nil Nil Nil
2	Haiderpur	57	57	Nil	-	-	-
3	Bhagirathi / TYR	59	59	Nil	-	-	-
4	Greater Kailash	41	40	01	T/w near BPS Rajokari village	Clear	Nil
5	Okhla	67	50	17	H.No.03 School road Khanpur Village	Clear	Nil
					H.No. D-56 School road Khanpur village	Clear	Nil
					H.No. D-56 School road Khanpur village	Clear	Nil
					H.No. D-56 School road Khanpur village	Clear	Nil
					BPS Khanpur Village	Clear	Nil
					T/W in Park near BPS Khanpur Village	Clear	Nil
					T/W no. 2 Khanpur Village	Clear	Nil
					T/W MB Road Khanpur Village	Clear	Nil
					T/W No.1 School Road Khanpur Village	Clear	Nil
					T/W no. 2 School road Khanpur Village	Clear	Nil
					T/W Duggal complex Khanpur Village	Clear	Nil
					T/W Bichh PatiKhanpur Village	Clear	Nil
6	Nangloi	162	161	01	T/W Ekta Vihar Near Sultan dhaba sec-7 R K Puram	Clear	Nil
					T/W Ekta Vihar Murgewala R K Puram	Clear	Nil
					T/W Ekta Vihar Near Kabadi wala R K Puram	Clear	Nil
					T/W Ekta Vihar Ghrowala R K Puram	Clear	Nil
					T/W Mansa Ram Mandir	Clear	Nil
7	Dwarka	33	33	Nil	H No F-36 F-33A Mohan Garden	Sewage Mix	Nil
8.	Bawana	Nil	Nil	Nil	-	-	-
Total		483	460	23			

% of Unsatisfactory Samples - 4.76

Director (T&QC)



आज्जादी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 15.05.2026

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	R/C12
1	Wazirabad	65	65	Nil	-	-	-
2	Haiderpur	46	46	Nil	-	-	-
3	Bhagirathi / TYR	36	36	Nil	-	-	-
4	Greater Kailash	77	77	Nil	-	-	-
5	Okhla	39	34	05	BPS Madanpur Khadar T/W Nr. BPS in park madanpur khadar T/W Nr. Dispensary madanpur khadar T/W in BPS EPR C.R.Park H.No. G-135 2nd floor shahen bagh	Clear Clear Clear Clear	Nil Nil Nil Nil
6	Nangloi	163	161	02	H No 9 Flat No 404 Om Vihar PH-1 H No R-181 Mohan Garden	Sewage Mix	Nil Nil
7	Dwarka	39	36	3	HNO- RZJ 118A GALI NO 7 PURAN NAGAR PALAM HNO - RZJ - 118A, PURAN NAGAR PALAM Hno-302, Gali No-7, Puran Nagar	Turbid Turbid Turbid	Nil Nil Nil
8.	Bawana	29	29	Nil	-	-	-
Total		494	484	10			

% of Unsatisfactory Samples - 2.02

Director (T&QC)



आजादी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 14.05.2026

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	R/Cl ₂
1	Wazirabad	64	64	Nil	-	-	-
2	Haiderpur	48	48	Nil	-	-	-
3	Bhagirathi / TYR	55	55	Nil	-	-	-
4	Greater Kailash	45	44	01	T/w near BPS Panchmukhi mandir Lal kuan	-	-
5	Okhla	45	45	00	-	Clear	Nil
6	Nangloi	165	162	03	H.No A-137 Shankar Garden H.No A-147, 1st Floor Shankar Garden H.No 45 K-Block Gali No 5 Uttam Nagar	Clear Sewage Mix	Nil Nil
7	Dwarka	34	30	04	1.H.No-1381, Studio Apartment 2. H.No-1717, Studio Apartment 3.H.No-1724, Studio Apartment 4.H.No-1710, Studio Apartment	Clear	Nil
8.	Bawana	Nil	Nil	Nil	-	-	-
Total		456	448	08			

% of Unsatisfactory Samples - 1.95

Director (T&QC)