



आज्ञादी का  
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&Q)  
DELHI JAL BOARD: GOVT. OF NCT OF DELHI  
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 20.05.2024

| S. No. | ZONAL LAB        | TOTAL NOS OF SAMPLES COLLECTION | SATISFACTORY | TOTAL NOS OF UNSATISFACTORY | DETAILS OF UNSATISFACTORY WATER SAMPLES                                                                                                                                                                                                                                                                                                                                |                                                    |
|--------|------------------|---------------------------------|--------------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|
|        |                  |                                 |              |                             | Address                                                                                                                                                                                                                                                                                                                                                                | Clarity                                            |
| 1      | Wazirabad        | 71                              | 67           | 04                          | H.no. D-42 Vijay Nagar<br>H.no. 1338 1st Floor Outram Lane<br>H.no. H.no. 940 1st Floor Mukherjee Nagar<br>H.no. 940 1st Floor Mukherjee Nagar                                                                                                                                                                                                                         | Yellowish<br>Yellowish<br>Yellowish<br>Yellowish   |
| 2      | Haiderpur        | 99                              | 97           | 02                          | 1-H.No C-1/415 sector 11 Rohini.<br>2-H.No H-2/15 sector 11 Rohini.                                                                                                                                                                                                                                                                                                    | CLEAR<br>CLEAR                                     |
| 3      | Bhagirathi / TYR | 58                              | 56           | 02                          | H.NO- N-5/1, N-5/2 WEST JYOTI NAGAR                                                                                                                                                                                                                                                                                                                                    | CLEAR                                              |
| 4      | Greater Kailash  | 44                              | 44           | NIL                         | --                                                                                                                                                                                                                                                                                                                                                                     | --                                                 |
| 5      | Okhla            | 51                              | 45           | 6                           | H.No.E-138 Dakshinpur<br>H.No.E-137 Dakshinpur<br>H.No.E-139 Dakshinpur<br>H.No.E-126 Dakshinpur<br>H.NO-323A, Sant Nagar, East of Kailash<br>HNO-H-127, 11nd Floor, Madangir                                                                                                                                                                                          | CLEAR<br>CLEAR<br>CLEAR<br>CLEAR<br>CLEAR<br>CLEAR |
| 6      | Nangloi          | 184                             | 179          | 05                          | S - 11A, Chankaya Place II<br>GH-6/150, GH-6, WHITE APTT, PASCIM VIHAR<br>H.NO.245, UGF, AMBIKA VIHAR, PASCIM VIHAR<br>GH-6/157, WHITE APTT, PASCIM VIHAR<br>GH-6/157, FF, WHITE APTT, PASCIM VIHAR                                                                                                                                                                    | TURBID<br>SEWAGE<br>SEWAGE<br>SEWAGE<br>SEWAGE     |
| 7      | Dwarka           | 71                              | 65           | 06                          | H No-28 Dwarka sector 11 opp Gate no. 1 metro station dwarka sector-11<br>H No- WZ-6 SADH NAGAR GALI NO 8 PALAM, 110045<br>H No- WZ-1A gali no. 08 sadh nagar part 1 palam colony New delhi<br>H NO- 884 /A/2 GALI 9/3 SADH NAGAR PALAM COLONY DELHI<br>H No-RZ 98B/1, GALI NO-8A, SADH NAGAR, Delhi 110045<br>H NO -WZ1121A GALINO 10 SADH NAGAR PART -I PALAM COLONY | CSP<br>Hazy<br>Hazy<br>Hazy<br>Hazy<br>Hazy        |
| 8.     | Bawana           | Nil                             | Nil          | -                           |                                                                                                                                                                                                                                                                                                                                                                        |                                                    |
| Total  |                  | 578                             | 553          | 25                          |                                                                                                                                                                                                                                                                                                                                                                        |                                                    |

% of Unsatisfactory Samples - 4.32

Director (T&QC)



आजादी का  
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)  
DELHI JAL BOARD: GOVT. OF NCT OF DELHI  
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 19.05.2024

| S. No. | ZONAL LAB       | TOTAL NOS OF SAMPLES COLLECTION | SATISFACTORY | TOTAL NOS OF UNSATISFACTORY | DETAILS OF UNSATISFACTORY WATER SAMPLES                                                                                               |                           |                   |
|--------|-----------------|---------------------------------|--------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-------------------|
|        |                 |                                 |              |                             | Address                                                                                                                               | Clarity                   | R/Cls             |
| 1      | Wazirabad       | 68                              | 68           | Nil                         | -                                                                                                                                     | -                         | -                 |
| 2      | Haiderpur       | 75                              | 73           | 02                          | H.NO. Q-8/41, MANGOLPURI<br>H.NO. Q-8/88, MANGOLPURI                                                                                  | HAZY<br>HAZY              | NIL<br>NIL        |
| 3      | Bhagrathi / TYR | 63                              | 63           | NIL                         | -                                                                                                                                     | -                         | -                 |
| 4      | Greater Kalash  | 42                              | 39           | 03                          | H.No.65, Gali No. 2, Ekta vihar, Meethapur extension<br>H.No. E-38A Gali no.4, Hari Nagar Tanki road, Badarpur<br>BPS jaitpur village | Turbid,<br>Clear<br>Clear | NIL<br>NIL<br>NIL |
| 5      | Okhla           | 35                              | 35           | NIL                         | -                                                                                                                                     | -                         | -                 |
| 6      | Nangloi         | 183                             | 183          | NIL                         | -                                                                                                                                     | -                         | -                 |
| 7      | Dwarka          | 73                              | 73           | Nil                         | -                                                                                                                                     | -                         | -                 |
| 8      | Bawana          | NIL                             | NIL          | NIL                         | -                                                                                                                                     | -                         | -                 |
| Total  |                 | 539                             | 534          | 05                          |                                                                                                                                       |                           |                   |

% of Unsatisfactory Samples - 0.92

Director (T&QC)



आजादी का  
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&OC)  
DELHI JAL BOARD: GOVT. OF NCT OF DELHI  
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 18.05.2024

| S. No. | ZONAL LAB        | TOTAL NOS OF SAMPLES COLLECTION | SATISFACTORY | TOTAL NOS OF UNSATISFACTORY | DETAILS OF UNSATISFACTORY WATER SAMPLES                                                                                                                                                                                                                                                                                                                                                               |                                                                          |                                                      |
|--------|------------------|---------------------------------|--------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|------------------------------------------------------|
|        |                  |                                 |              |                             | Address                                                                                                                                                                                                                                                                                                                                                                                               | Clarity                                                                  | R/Cl <sub>2</sub>                                    |
| 1      | Wazirabad        | 70                              | 69           | 01                          | H.no. 1270 Vakilpura Chandani Chowk                                                                                                                                                                                                                                                                                                                                                                   | Muddy                                                                    | Nil                                                  |
| 2      | Haiderpur        | 66                              | 66           | Nil                         |                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                          |                                                      |
| 3      | Bhagirathi / TYR | 84                              | 76           | 08                          | H.NO- 2/40, 2/38 BLOCK-2 GALLI NO-2 KHI CHIDIPUR<br>H.NO- B-22, B-22A GALLI NO-2 WEST JYOTI NAGAR<br>H.NO- 270, 270A, 275, 273A, GALLI NO. 16 BALBIR NGR EXT.<br>BPS maidangarhi village<br>BPS Rajpur Khurd village<br>BPS Fatehpur Beri<br>T/w inside maidangarhi village<br>Tap at Samshanghat Fatehpur Beri<br>T/w inside Rajpur Khurd<br>T/w at Bhati mines near BPS<br>T/w inside Fatehpur Beri | CLEAR<br>TURBID<br>TURBID                                                | NIL<br>NIL<br>NIL                                    |
| 4      | Greater Kailash  | 42                              | 34           | 08                          |                                                                                                                                                                                                                                                                                                                                                                                                       | CLEAR<br>CLEAR<br>CLEAR<br>CLEAR<br>CLEAR<br>CLEAR<br>CLEAR              | 0.58<br>1.32<br>1.02<br>NIL<br>0.27<br>NIL<br>NIL    |
| 5      | Okhla            | 53                              | 49           | 4                           | H.No. D-8 NIHF, QTRS Munirka<br>H.No. D-9 NIHF, QTRS Munirka<br>H.No. D-7 NIHF, QTRS Munirka<br>H.No. D-6 NIHF, QTRS Munirka<br>H. No. 34B, G. No. 10/11, Jai Vihar Phase - 03.<br>G - 55-56, Laxmi Park.<br>Rz - 18, T Blk, Nihal Vihar.<br>B - 13, G. No. 04, Jai Vihar Phase - 3.                                                                                                                  | CLEAR<br>CLEAR<br>CLEAR<br>clear<br>TURBID<br>TURBID<br>TURBID<br>TURBID | NIL<br>NIL<br>NIL<br>NIL<br>NIL<br>NIL<br>NIL<br>NIL |
| 6      | Nangloi          | 178                             | 174          | 04                          |                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                          |                                                      |
| 7      | Dwarka           | 67                              | 65           | 02                          | Flat 187 Pink Apartment Sector 18B Dwarka New Delhi-110078<br>H.NO - RZ138A, GALLI NO - 3, VAISHALI COLONY DABRI                                                                                                                                                                                                                                                                                      | CLEAR<br>Hazy                                                            | Nil<br>Nil                                           |
| 8.     | Bawana           | Nil                             | -            | -                           |                                                                                                                                                                                                                                                                                                                                                                                                       | -                                                                        | -                                                    |
|        | Total            | 560                             | 533          | 27                          |                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                          |                                                      |

% of Unsatisfactory Samples - 4.82

Director (T&OC)



|    |        |     |     |    |   |   |
|----|--------|-----|-----|----|---|---|
| 8. | Bawana | Nil | -   | -  | - | - |
|    | Total  | 614 | 587 | 27 |   |   |

% of Unsatisfactory Samples - 4.39

Director (T&QC)



OFFICE OF THE DIRECTOR (T&QC)  
DELHI JAL BOARD: GOVT. OF NCT OF DELHI  
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 16.05.2024

| S. No. | ZONAL LAB       | TOTAL NOS OF SAMPLES COLLECTION | SATISFACTORY | TOTAL NOS OF UNSATISFACTORY | DETAILS OF UNSATISFACTORY WATER SAMPLES                                                                                                                                                                                                                            |                                                    |                                         |
|--------|-----------------|---------------------------------|--------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|-----------------------------------------|
|        |                 |                                 |              |                             | Address                                                                                                                                                                                                                                                            | Clarity                                            | R/c/c <sub>2</sub>                      |
| 1      | Wazirabad       | 95                              | 89           | 06                          | H.no. 10/24 West Patel Nagar<br>H.no. D-33 Old Gupta Colony Model Town<br>H.no. A-50 Old Gupta Colony Model Town<br>H.no. D-118 Old Gupta Colony Model Town<br>H.no. D-186 Old Gupta Colony Model Town<br>H.no. D-167 Old Gupta Colony Model Town                  | Clear<br>Muddy<br>Muddy<br>Muddy<br>Muddy<br>Muddy | 0.12<br>Nil<br>Nil<br>Nil<br>Nil<br>Nil |
| 2      | Haiderpur       | 76                              | 75           | 01                          | H.No. BF-19, JANAKPURI                                                                                                                                                                                                                                             | CLEAR                                              | NIL                                     |
| 3      | Bhagratni / TYR | 91                              | 87           | 04                          | H.NO- 1/6207, 1/6206 GALLI NO-2 EAST ROHTASH NAGAR<br>H.NO- 1/6439, 1/6440 GALLI NO-5 EAST ROHTASH NAGAR                                                                                                                                                           | HAZY<br>HAZY                                       | NIL<br>NIL                              |
| 4      | Greater Kailash | 44                              | 40           | 04                          | H.No.146, Gali no.7, Kapashera village<br>T/w inside Bijwasan Village<br>H.No. F- 157/1, Alla Mohalla Tehkhand village<br>BPS Chhuyiya Mohalla Tehkhand village                                                                                                    | Clear                                              | Nil                                     |
| 5      | Okhla           | 37                              | 37           | NIL                         |                                                                                                                                                                                                                                                                    | -                                                  | -                                       |
| 6      | Nangloi         | 177                             | 173          | 04                          | T - 71, G. no. 02, Sukar Bazar road, Uttam Nagar<br>D-1/32, Jeewan Park, Pankha road, Uttam Nagar<br>TA - 108, Om Vihar, Uttam Nagar<br>B - 667, Mahavir Enclave                                                                                                   | Clear /<br>Hazy                                    | Nil                                     |
| 7      | Dwarka          | 78                              | 70           | 08                          | H.NO. RZ 247 GALLI NO. 9 T EXTN. VISHWAS PARK UTTAM NAGAR<br>DELHI 110059<br>HNO RZ175 UPPER GROUND BACK SIDE OLD SOM BAZAR RAOD<br>MAHAVIR ENCLAVE DELHI 110045<br>H NO. A7 TARA NAGAR KAKRAULA DELHI 110088<br>H NO D71, SEC-7, DADA DEV COLONY NEAR RAM MANDIR, | Hazy<br>Hazy<br>Hazy                               | Nil<br>Nil<br>Nil                       |

|    |        |     |     |     |                                                                                                                                                                                                                                                                                      |                      |                   |
|----|--------|-----|-----|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|-------------------|
|    |        |     |     |     | DWARKA, DELHI 110075<br>H.NO.RZ-F-993, RAJ NAGAR-II, A. MARG, Delhi, A MARG,<br>Delhi 110077<br>H.NO.B-1/172 gali number-82 Madhu vihar Uttam Nagar New Delhi<br>H.NO. A-1/118, VIJAY ENCLAVE, DABRI PALAM ROAD, DELHI -<br>H.NO. RZ B-1/148 GALI NO 3 VIJAY ENCLAVEDABRI PALAM ROAD | Hazy<br>Hazy<br>Hazy | Nil<br>Nil<br>Nil |
| 8. | Bawana | 39  | 39  | Nil |                                                                                                                                                                                                                                                                                      | -                    | -                 |
|    | Total  | 637 | 610 | 27  |                                                                                                                                                                                                                                                                                      |                      |                   |

% of Unsatisfactory Samples - 4.23

Director (T&QC)

