



आजादी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 25.07.2024

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	R/C ₂
1	Wazirabad	69	67	02	H.no. B-401 Sudarshan Park H.no. B-358 Sudarshan Park	Clear Clear	0.16 0.19
2	Haiderpur	77	77	Nil	--	--	--
3	Bhagirathi / TYR	86	86	Nil	-	-	-
4	Greater Kailash	36	34	02	H.No.1393, Pkt B&C, Sec A, Vasant kunj H.No. E-2,605, Vasant kunj	Clear Clear	Nil Nil
5	Okhla	61	56	05	HNO-B-85, Mohammadpur Village, R K Puram HNO-B-76, Mohammadpur Village, R K Puram HNO-B-56, Sanjay Camp, Dakshin Puri HNO-B-64, Sanjay Camp, Dakshin Puri HNO-3/601, Dakshin Puri	Clear Clear Clear Clear Clear	0.33 0.27 Nil Nil Nil
6	Nangloi	205	199	06	B - 76, Bindapur Extn C - 76, FF, Bindapur Extn A - 305, Pkt - 03, Bindapur DDA Flats. RS - 243, Ravi dass mohalla, Peeragarhi SRS - 140, Ravi dass mohalla, Peeragarhi IPP VIII, maternity home, R Blk, Jawalपुर Camp No 05	Sewage Turbid Smell Turbid Smell Clear	Nil Nil Nil Nil Nil Nil
7	Dwarka	62	62	Nil	-	-	-
8.	Bawana	40	40	Nil	-	-	-
Total		636	621	15			

% of Unsatisfactory Samples - 2.35

Director (T&QC)



आज्जादी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 24.07.2024

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 24.07.2024							
S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	R/Cl ₂
1	Wazirabad	72	68	04	Hno. 3461 Gali No.3 Regarpura Karol Bagh H.no.3458 Gali No.3 Regarpura Karol Bagh H.no. 3439/3 Regarpura Karol Bagh Faridpur Old UGR Faridpur New UGR	Hazy Hazy Hazy Clear Clear	Nil Nil Nil Nil Nil
2	Haiderpur	75	75	NIL	--	--	--
3	Bhagirathi / TYR	83	81	02	H. No-53/4, 53/5 GALI NO-5 ARYA NAGAR DAYANAND VIHAR	TURBID	NIL
4	Greater Kailash	16	16	NIL			
5	Okhla	47	33	14	HNO-F-482, Dakshin Puri	Hazy	Nil
					HNO-F-443, Dakshin Puri	Turbid	Nil
					HNO-F-442, Dakshin Puri	Clear	Nil
					HNO-F-483, Dakshin Puri	Turbid	Nil
					HNO-F-444, Dakshin Puri	Clear	Nil
					HNO-F-440, Dakshin Puri	Clear	Nil
					HNO-F-441, Dakshin Puri	Clear	Nil
					HNO-F-489, Dakshin Puri	Clear	Nil
					HNO-E-II/232 Madangir	Hazy	Nil
					HNO-E-II/199 Madangir	Clear	Nil
6	Nangloi	200	197	03	HNO-E-II/234 Madangir	Clear	0.36
					HNO-133, RPS Colony	Clear	0.41
					HNO-124, RPS Colony	Clear	0.33
					S - 11A, Chanakya Place II A - 50, Nr Jeevan Park, Old Jankipuri Municipal Corporation primary school Jafferpur Kalan	Turbid Smell Turbid Smell Clear	NIL NIL NIL
7	Dwarka	60	57	03	*SOMWATI DEVI, ADD- RZ-2 B/ 674 GALI NO-20 SADH NAGAR PART II PALAM COLONY, DELHI 110045	Sewage	Nil
8.	Bawana	38	38	NIL	*Ashok Kumar, HNO - RZ-140-21 FLAT UG-01 GALI NO - 38 SADH NAGAR PALAM 110045 *Chafran Kumar Yadav, Flat-1A, WZ66D Street-8A, Sadh Nagar, Palam,	Hazy Hazy Hazy	Nil Nil Nil
Total		591	565	26			

% of Unsatisfactory Samples - 4.39

Director (T&QC)



Delhi Jal Board



OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 23.07.2024

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	Res.
1	Wazirabad	62	62	Nil	-	-	-
2	Haiderpur	78	78	Nil	-	-	-
3	Bhagratni / TYR	66	66	Nil	-	-	-
4	Greater Kailash	38	38	Nil	-	-	-
5	Okhla	48	44	04	H.No. A-5 UGF C-44 Ekta Apartment Khanpur H.No. A-7 Ekta Apartment Khanpur H.No. B-5 Ekta Apartment Khanpur H.No. B-3 Ekta Apartment Khanpur	Clear Clear Clear Clear	Nil Nil Nil Nil
6	Nangloi	197	189	08	Flat no 103, C - 17A, C Blk, Sewak Park, Uttam Nagar C - 12, FF, Sewak Park, Uttam Nagar C - 12, Sewak park, Uttam Nagar O - 78, TF, FS, Chanakya Place II H.No. 4/63, School road, Peeragarhi H.No. 487/64, Peeragarhi H.No. 487/55, Peeragarhi H.No. 126, School road, Peeragarhi	Sewage Sewage Clear Sewage Clear Clear Clear Clear	Nil Nil Nil Nil Nil Nil Nil Nil
7	Dwarka	71	67	04	H NO 200 POCKET 1 SECTOR 9 DWARKA DELHI 110077 House no. 27, third floor block C dwarka sec 8 Flat No 281 Sector 9 Pocket 1 DDA SFS Dwarka New Delhi House No.442.DDA FLAT. Sec 9 Pkt 1. Dwarka. NEW DELHI	Sewage Sewage Sewage	Nil Nil Nil
8.	Bawana	42	42	Nil	-	-	-
Total		602	586	16			

% of Unsatisfactory Samples - 2.65

Director (T&QC)



आज़ादी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 22.07.2024

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	R/Cl ₂
1	Wazirabad	57	57	Nil			
2	Haiderpur	75	75	NIL			
3	Bhagirathi / TVR	93	91	02	H. NO-63, 65 SURAJMAL VIHAR	TURBID	NIL
4	Greater Kailash	36	34	02	H.No. A-97, Sanjay camp, Dakshinपुरi extension	Clear	NIL
5	Okhla	46	45	01	H.No. C-1640, JJ camp, Tigri	Clear	NIL
6	Nangloi	186	186	NIL	-	-	-
7	Dwarka	59	58	01	HNO-425, J BLOCK, DWARKA, SECTOR 1 A, pkt 7, DELHI 110045	Sewage	Nil
8.	Bawana	37	37	Nil	-	-	-
	Total	589	583	06			

% of Unsatisfactory Samples - 1.01

Director (T&QC)



Delhi Jal Board

आजदी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 21.07.2024

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	RI/Cl ₂
1	Wazirabad	57	55	02	H no B-4/1A Ashok Vihar Ph-2 Hno 81 Sawan Park Ashok Vihar	Hazy Clear	Nil Nil
2	Haiderpur	75	74	01	H.NO. , 117, PKT-9, Sector-22, ROHINI	CLEAR	NIL
3	Bhagirathi / TYR	69	65	04	H. NO-601, 602,606,607 GALI NO-11 WEST VINOD NAGAR	CLEAR	NIL
4	Greater Kailash	50	47	03	Khasra No. 13/7, Samalkha village BPS Bijwasan village H.No. 510 Bijwasan village	TURBID	NIL
5	Okhla	22	22	Nil	--	Clear Clear Clear	NIL 0.37 0.28
6	Nangloi	202	188	14	H-272 H block JJ colony Bakkarwala H.No C-84 Gali no 4 new Janakipuri delhi H.no 51B/A Kesoram park nr. Bindapur DDA flat uttam nagar D-77 Bhagwati vihar Uttam nagar D-80 Bhagwati vihar Uttam nagar C-76 Chanakya place part-1 H.no-11/27 Chanakya place part-1 C-12 1st floor sewak park nr, sai Angan society C-12 2nd floor sewak park nr, sai Angan society C-8 sewak park nr, sai Angan society C-12 Flat no 06 sewak park nr, sai Angan society C-9 sewak park nr, sai Angan society C-12 UGF sewak park nr, sai Angan society C-9B sewak park nr, sai Angan society	--	--
7	Dwarka	59	59	Nil		Sewage Turbid Sewage	Nil Nil Nil
8.	Bawana	Nil	Nil	Nil		Turbid smell Turbid smell Sewage Sewage Sewage Sewage Sewage	Nil Nil Nil Nil Nil Nil Nil
	Total	534	510	24		-	-

% of Unsatisfactory Samples - 4.49

Director (T&QC)



आजमादी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

Director (T&QC)

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 20.07.2024

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	R/C12
1	Wazirabad	46	46	Nil			
2	Haiderpur	75	74	01	H.NO. C-159, Prashant Vihar	CLEAR	NIL
3	Bhagirathi / TYR	61	53	08	H.NO-A-15,A-16,A-25,A-26,A-31,A-32,A-63,A-64 SURAJMAL VIHAR	TURBID	NIL
4	Greater Kailash	18	18	NIL	-	-	-
5	Okhla	49	48	01	H.No - 177/4, Dakshinipuri	Turbid	Nil
6	Nangloi	184	182	02	G-80, G BLK, SITAPURI II C-2, SOLANKI PULL, SITAPURI	SEWAGE SEWAGE	NIL NIL
7	Dwarka	61	61	Nil	-	-	-
8	Bawana	Nil	Nil	Nil	-	-	-
Total		494	482	12			

% of Unsatisfactory Samples - 2.42

Director (T&QC)



आजादी का
अमृत महोत्सव

OFFICE OF THE DIRECTOR (T&QC)
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
WATER WORKS WAZIRABAD, DELHI - 110054

DAILY WATER QUALITY SURVEILLANCE REPORT ON DTD. 19.07.2024

S. No.	ZONAL LAB	TOTAL NOS OF SAMPLES COLLECTION	SATISFACTORY	TOTAL NOS OF UNSATISFACTORY	DETAILS OF UNSATISFACTORY WATER SAMPLES		
					Address	Clarity	RCI ₂
1	Wazirabad	49	48	01	H. no. 3526 Dariba Pan Paharganj	Hazy	Nil
2	Haiderpur	75	75	NIL			
3	Bhagirathi / TYR	95	93	02	H.No. 162, 161 Flat No. 4 Sarpanch Wada Gali No. 6 Village Mandawali Fazalpur	Hazy	Nil
4	Greater Kailash	36	33	03	BPS Madhya Marg TKD extension	Clear	0.26
					BPS 25-block TKD extension	Clear	NIL
					BPS 36-block TKD extension	Clear	0.39
5	Okhla	41	41	-			
6	Nangloi	195	192	03	D - 92, G.NO. 49A, Mahavir Enclave III Government Dispensary at KG - 1 Vikaspuri Primary School at Kamruddin Nagar, Nangloi	Sewage Clear	NIL
7	Dwarka	56	54	02	Rohit, Rzc 172 gali no 14/3 Sadh nagar, PALAM 110045 DHANPAT SINGH, H NO. C156B GALI NO. 14/2 SADH NAGAR PART 1 PALAM DELHI 110045	Sewage Sewage	Nil
8.	Bawana	40	40	Nil	-	-	-
	Total	587	576	11			

% of Unsatisfactory Samples - 1.87

Director (T&QC)