DELHI JAL BOARD: DELHI SARKAR OFFICE OF THE ASSISTANT COMMISSIONER (CTB) VARUNALAYA PHASE: II, JHANDEWALAN, N. DELHI.

NO: DJB/AC(CTB)/V.P.-1/2003/ 5/748

'INSTRUCTIONAL ORDER'

It has been observed that large volume of water keeps pouring from upper stories' offices by way of washing of hands, utencils or over flowing of desert coolers. Such callous wastage of water cannot be justified.

It should be our first and formost aim to save water upto the maximum possible extent and every step to conserve water should be taken by every officers/officials.

CEO, DJB has taken a very serious view on wastage of water in our office premises and warn that if any recurrence is noticed, the concerned office in-charge shall be suspended.

All DDOs/Sectional heads, sitting in Varunalya Phase-II are hereby instructed to take all necessary steps in this regard and avoid such type of recurrence failing which disciplinary action, as per direction of Hon'ble CEO, will be taken.

ASSISTANT COMMISSIONER (CTB)

All DDOs/Sectional Heads, sitting in V.P.II.

CC to for kind information:-

CEO, DJB

Member(A) Dir. (A&P)

ASSISTANT COMMISSIONER (CTB)

Steel of Kept in Pilice