

DELHI JAL BOARD  
OFFICE OF DIRECTOR OF REVENUE  
VARUNALAYA PHASE:II, KAROL BAGH, NEW DELHI-110005.

No. DJB/DOR/DDRHQ-I/2017/

Dated: 30/01/2017

**INSTRUCTIONAL ORDER**


Board decided to give benefit of 15% rebate in water bills to those consumers, who have a plot area of 500 Sq. Mtrs. or more and have installed both functional Rain Water Harvesting System and Waste Water Recycling System.

2. It has been observed that while granting rebate for installation of Rain Water Harvesting system or Waste Water Recycling, lot of documents are being asked for from the applicant, which are not relevant to the issue, as per provisions of Regulation No. 50 of Delhi Water & Sewer (Tariff and Metering) Regulations 2012 e.g. copy of the last paid bill, ownership documents, site plan of the building, etc., which unnecessarily delays the proposal.

3. Concerned Zonal authorities should keep in mind that it is an incentive provided by the Board for conservation of water, hence only plan of Rain Water Harvesting system/Waste Water Recycling of the property may be obtained before site inspection to check that majority of area of the premises being served by the water connection in question, is covered under the RWH. Similarly, they will also certify that substantive quantity of the waste water generated is recycled by the consumer through Waste Water Recycling system installed.

4. As per existing practice, the benefit is given to the applicant from the date of inspection. Hence, care should be taken not to delay the site inspection after receipt of request and unnecessary documents from the consumer may not be demanded.


5. For compliance by all concerned. Any deviation from these instructions may invite disciplinary action.

  
(NIDHI SRIVASTAVA)  
DIRECTOR OF REVENUE

- 1) All Jt. Directors (Revenue).
- 2) All Dy. Directors (Revenue).
- 3) All Zonal Revenue Officers.

Copy to :-

- 1) P.S. to C.E.O. - for kind information.
- 2) Member (Fin.) -do-
- 3) Member (Water) -do-

  
DIRECTOR OF REVENUE