

DELHI JAL BOARD
OFFICE OF THE DY. DIRECTOR (HORTI) SOUTH
JAL SADAN BUILDING LAJPAT NAGR –II
NEW DELHI 110024

No. F.2(1)/D.J.B/D.D. (H) /2018-19/

Dated:

Auction Notice (2018-19)

Open Auction is hereby invited urgent basis by the undersigned on behalf of the president of India for the following items. The auction to be held in the office of the undersigned on **18-5-2018 at 3.00 P.M.** In the reference of contractor / Bidders whose ever wish to be present there.

S/N	Description of Items	No	Qty	Rate	Unit	Amount
1	Survey report No 01 D.D.(H) South dur2018-19 Name of work:- Horticulture work attached to dangerous trees at E.P.S. Flats East of Kailash Tube-well and Ring Road S.P.S during 2018-19.					
	Cut 3 Nos. of Trees (Neem, Gular, Seem)	3	3.29			103/-
2.	Survey report No 02 D.D.(H) South /2018-19 Name of work:- Horticulture work attached to Felling of Trees at Qutub UGR/BPS and Bawaji Wala B.P.S. Mehrauli. during 2018-19.					
	Felling 09 Nos. of Tree (Silver Ok, Gul Mohar, Ashok, -2, Gular -2, Sehsoot Mango, Sehmal, Pipal , Bakyan	09 +2	95.71			15,310/-

Terms & Condition:-

- The work shall be carried out as per specification given in the survey Report.
- The undersigned reserves the right to accept or reject with or without any notice one or all bid without assigning any reason.
- The rates are inclusive of all lab our/ material, loading charges etc and nothing is payable for the same to the contractor.
- The work should be completed within **60 days after issue of delivery letter. Further the Bidder shall be responsible to any loss due to none compliance of the condition of survey report.**
- The work shall be carried out as per direction issued by the Dy. Conservator of forest (South) Dr. Karan Singh suiting range vide letter No **R1439/To(S)/TC-Felling/2017-18 / 83 dated 04-4-2018 & File No- 2 =R162/To(S)/TC-Felling/2017-18 / 299& 300 dated 17-4-2018/**
- All the materials of the trees above ground level should be removed from the site within the time period (Removal/ Fallen Trees).
- 100% payment shall be deposit in cash at the time of auction on the same day in c/o Dy. Director (H) South Jal Sadan Lajpat Nagar New Delhi 110024. The bidder can inspect the material at site before auction date in the presence of concerned A.D.(H) / S.O.(H) South.
- The applicant shall sent the lops and tops arising out of pruning to the nearest public Cremation ground managed by M.C.D./ N.D.M.C. and his expense and submit copy of the receipt from such public cremation ground to this office .
- The information is also available at www.delhi.govt.nic in tender bearing 057-2018-00190

Sd/-
(ROOP CHAND)
DY. DIRECROR (H) SOUTH

Copy to:

- Director(Hort)DJB / AO (WW)-I/ AAO(H)South /AD (H) South/S.O. (H) South D.M./ Head Clerk
- P.R.O (W)

DY. DIRECROR (H) South

Name of Work:-

Felling of dangerous Trees at E.P.S. flats East of Kailash Tube-Well and Ring Road
S.P.S. (20018-19)

Division

Dy. Director (H) South

Sub

Assistant Director

division

(H) South

Survey Report of Store

(Central PWA Code Paragraphs 7-2-41, 7-3-17 and 7-4-1)

(Report of survey of Site which have become unserviceable/ serviceable)

Qty (In Qtl)	Description of Article with Printed Nos. of Tree	Value of Books		Date of receipt	Remarks by the officer In- charge explaining the cause of articles becoming unserviceable	Remarks of orders of the Divisional Officer	Order of the Superintending Engineer
		Rate	Amount				
03.29	1. Seesam = 01 Nos. 2. Gular 03 Nos. 2. Neem 8 2	360/- P/ Qtl	103/-	-----	<p>This material has been unserviceable due to continuous normal wear and tear & beyond economical repair, Hence recommended for disposal through public The reserve value is Rs 103/-</p> <p>This loss does not disclose any defect of which require order of higher authorities. There has not been any serious negligence on the part of any Govt. official which require the higher authority auction.</p>	<p>Declare unserviceable under Para 158 (D) CPWD code & approved for disposal under Para 158 (D) of CPWD code through public auction.</p> <p>Reserve Prices Rs 103/-</p> <p>1. The loss does not disclose any effect, in the commencement of which may require order of higher authority.</p> <p>2. The material has been checked physically and is unserviceable</p> <p>3. There is not been any serious negligence on the part of any staff which may called for disciplinary action require the order of higher authority.</p>	

Survey Report of Store

Name of Work:- Felling of Trees at Qutub U.G.R./ B.P.S, & Babaji wala B.P.S. at Mehrauli (20018-19)

Division **Dy. Director (H)** Sub division **Assistant Director (H)**
South **South**

(Central PWA Code Paragraphs 7-2-41, 7-3-17 and 7-4-1)

(Report of survey of Site which have become unserviceable/ serviceable)

Qty (In Qtl)	Description of Article with Printed Nos. of Tree	Value of Books		Date of receipt	Remarks by the officer In-charge explaining the cause of articles becoming unserviceable	Remarks of orders of the Divisional Officer	Order of the Superintending Engineer
		Rate	Amount				
95.71	1. Silver OK, = 6 No. 2. Silver Gul Mohar = 7 No. 3. Ashok Tree 4. Gular 5. Sehsoot 11 No. 6. Ashok Tree 12 No 7. Mango 13 No. 8. Sehmal 14 No. 9. Gular 26 No. 1 Pipal 2 Bakyan	360/- P/ Qtl	15,310/-	-----	This material has been unserviceable due to continuous normal wear and tear & beyond economical repair, Hence recommended for disposal through public The reserve value is Rs 15,310/- This loss does not disclose any defect of which require order of higher authorities. There has not been any serious negligence on the part of any Govt. official which require the higher authority auction.	Declare unserviceable under Para 158 (D) CPWD code & approved for disposal under Para 158 (D) of CPWD code through public auction. Reserve Prices Rs 15,310/- 1. The loss does not disclose any effect, in the commencement of which may require order of higher authority. 2. The material has been checked physically and is unserviceable 3. There is not been any serious negligence on the part of any staff which may called for disciplinary action require the order of higher authority.	