

Subject:- Pre-qualification of firms for “Construction of Water Treatment Plants (WTPs), Sewage Treatment Plants (STPs), UGRs, SPSs, Water Mains, Trunk sewers etc. and other related associated/ allied appurtenant works, rehabilitation works at Delhi”

Reply/Comments on queries raised by different agencies after uploading reply of pre-bid queries

S.No.	Agency	Reference	Query	Reply/Comments
1.	M/s Dineshchandra R. Agrawal Infracon Pvt. Ltd.		Generally, same firm/agency work to execute projects in water and sewer fields. In most Govt. department also, same executive wing / division carry out works in water and sewer field. Reason being handling raw/waste water which require similar common appurtenances and methodologies during execution i.e. intake channels, retaining tank/sumps, settling tank, clarifiers, mixing tanks, pump houses, laying of pipelines, installation of meters/walls/control panels/ screen chambers. Therefore, it is suggested pre-qualification need not be differentiated or segregated for water and sewer field, rather be treated as one common field.	The categories of works have already been defined in Annexure-A.
2.			Overall, combined annual turnover for sewer and water should be treated as Technical Capacity. If a firm’s experience for individual task is for a certain amount say X but firm’s combined annual turnover in water and sewer field is multifold higher, then firm is capable for handling bigger capacity projects of value upto Turnover Capacity.	Yes.
3.			Multitask PPP / DBO Project handling capacity in water and sewer domain should be treated as the Technical Capacity irrespective of multitask or single work handling experience.	Yes
4.			Experience of laying Water line and Sewer line or Storm Waterline or Rising main should be treated as similar works and be treated at the same platform for the sake of technical experience because general methodology is	Yes.

			common/same i.e. to lay a pipeline underground or above ground	
5.			Treating Water and Sewer field as single domain and multitask or single task at same platform will work out comfortable data handling and its up keep for pre-qualification at global level	As per Annexure-A.
6.			Sub-classification for individual task handling easy i.e. STP, WTP, UGR, BPS/SPS etc. may be done to know the firm experience for the same.	As per Annexure-A.
7.			If a firm has additional infrastructure experience in construction, consultancy, O&M, SCADA/IT in Delhi, India or at Global level then some due weightage should be given for the same. Technical bidding capacity should be enhanced by pre-decided factors/percentage of the additional infrastructure experience.	As per pre-bid query reply already uploaded on Delhi Jal Board website.
8.		Annexure-A	In first table a column be added under the head “Any other work related to Water or Sewerage”	Already added at S.No.12 of Annexure-A and available on Delhi Jal Board website in pre-bid query reply.
9.			In the second table, total cost figures are demanded for last 10 years and 30 years. It is suggested that a period of 5 years is sufficient as in the fast developing world technologies / processes are changing and becoming obsolete before a decade is over. Generally, Govt. hardly maintains records beyond 7 years and it will be difficult for DJB to verify details and credentials of the older works carried out in India and abroad.	As per pre-bid query reply already uploaded on Delhi Jal Board website.
10.		Annexure-B	In the table a column be added under the head “any other work related to water or sewerage	Annexure-B deleted vide pre-bid queries reply uploaded on Delhi Jal Board website.
11.		Annexure-C	In the table last column of Sr. No.3 “cost incurred or to be incurred on the basis of commitment /performance in 30 years ”.	As per pre-bid query reply already uploaded on Delhi Jal Board website.

			It is suggested that instead of “ in 30 years ” it should be as per O&M/concession agreement period . How, it can be 30 years in every data project sheet?	
12.	Acciona Agua India Pvt. Ltd.		We request you to please confirm the rate of conversion (the date for the currency conversion) to be taken for converting the value of the projects done abroad India. As it Is not clarified in the bid documents, that whether the current rate of conversion of i.e. Euro, Dollar etc. is to be taken while putting value in INR in PQ schedules or the conversion rate on date of award/completion of those projects is to be taken.	The base date for currency conversion will be taken as seven days before last date of submission of proposal and rate will be RBI conversion rate.